



Quella sensazione che provi durante un'uscita fantastica in mountain bike. Tutti noi la conosciamo, e tutti noi sappiamo che è una sensazione unica. Il rush di endorfina dello sforzo in gara, il cameratismo che nasce da una pedalata con buoni amici o il feeling speciale di un'uscita in solitaria: sono questi i momenti che ci ispirano a creare le nostre mountain bike.

MOUNTAIN LINE



XC RACE

Biciclette ultra-leggere, orientate alla competizione, per ciclisti che cercano il massimo dell'efficienza e della velocità.

SCALPEL-Si

SCALPEL-Si BLACK INC.
SCALPEL-Si TEAM
SCALPEL-Si RACE
SCALPEL-Si CARBON 1
SCALPEL-Si CARBON 2
SCALPEL-Si CARBON 3
SCALPEL-Si CARBON 4
SCALPEL-Si 5

F-Si CARBON

F-Si BLACK INC.
F-Si CARBON TEAM
F-Si CARBON 1
F-Si CARBON 2
F-Si CARBON 3
F-Si CARBON 4

F-Si ALLOY

F-Si 1
F-Si 2
F-Si 3



ENDURO

Aggressive bici da Enduro che salgono veloci e scendono ancora più

ALL-NEW
COMING SOON
FALL 2016



ALL MOUNTAIN

Bici super-versatili e performanti, per giornate memorabili in montagna.

ALL-NEW
COMING SOON
FALL 2016



TRAIL

Versatili e in grado di farsivalere in maniera suprema su tutto ciò che la montagna può farti trovare lungo la strada, questebici sono il tuo biglietto per uno spasso colossale sugli sterrati.

HABIT

HABIT BLACK INC.
HABIT CARBON 1
HABIT CARBON 2
HABIT CARBON SE
HABIT CARBON 3
HABIT 4
HABIT 5
HABIT 6

BAD HABIT

BAD HABIT CARBON 1
BAD HABIT CARBON 2
BAD HABIT 1
BAD HABIT 2

BEAST OF THE EAST

BEAST OF THE EAST 1
BEAST OF THE EAST 2
BEAST OF THE EAST 3



SPORT HARDTAIL

Mountain bikes ad alte prestazioni, leggere e resistenti per un'utilizzoTrail a 360°.

CUJO

CUJO 1
CUJO 2
CUJO 3

TRAIL

TRAIL 1
TRAIL 2
TRAIL 3
TRAIL 4
TRAIL 5
TRAIL 6

CATALYST

CATALYST 3
CATALYST 4



FAT BIKE

Un mezzo a trazione integrale per avventure su svariati terreni Il top del fatbiking con i pneumatici più grassi, il fattore.

FAT CAAD

FAT CAAD 1
FAT CAAD 2
FAT CAAD 3

SCALPEL-Si

COSTRUITA PER L'XXC

La bici da gara definitiva per la realtà imprevedibile del moderno XC. È la bici XC biammortizzata più rigida e leggera del pianeta, con una nuova geometria XC rivoluzionaria per dominare le salite, disciplinare le discese e decimare la concorrenza.

RICAPITOLANDO:

La bici XC da gara più leggera, più rigida, migliore in salita, migliore in discesa e più veloce a 360 gradi mai costruita. Il Cross Country moderno è aggressivo. La nuova Scalpel Si ancora di più.

PRINCIPALI ARGOMENTI DI VENDITA:

» TRAZIONE PAZZESCA - SENZA COMPROMESSI

La trazione offset **Ai** inventata da noi offre foderi bassi super corti per una trazione eccellente in salita e una maneggevolezza agile, senza sacrificare spazio per i pneumatici e lo scarico del fango o limitarvi a una configurazione con corona singola anteriore.

» L'AGILITÀ XC INCONTRA LA STABILITÀ ALL-MOUNTAIN

La geometria dello sterzo **OutFront** vi offre il meglio di due mondi: stabile e prevedibile su discese sfrenate, ma rapida e agile in qualunque altra situazione.

» LA MIGLIORE FORCELLA XC... PUNTO

Incredibilmente rigida e precisa, batte le flessibili forcelle da XC della concorrenza con una stabilità in curva e una maneggevolezza superiori. È il rake extra lungo custom a rendere possibile la nostra geometria dello sterzo **OutFront**.

» RIGIDITÀ ESPLOSIVA

Basta alla flessione che spreca energia. La Scalpel Si è la XC full più rigida grazie a ruota posteriore Ai, foderi bassi super corti, assi autobloccanti **LockR** e struttura in carbonio **BallisTec**.

» PESO ULTRA LEGGERO

Pedivelle, forcella, telaio e foderi **Zero Pivot** System Integrated: tutti contribuiscono a contenere il peso. Scalpel-Si è la più leggera XC full sul mercato.



PROFILO DEL CICLISTA

Atleti della Coppa del mondo di XC, delle marathon e chiunque altro nutra sogni di gloria XC ad alta velocità.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

XC moderno allo stato puro. Posteriore piatto ribassato, distribuzione centrale del peso.





TECNOLOGIA:

Ai - Trasmissione offset con Asymmetric Integration

OutFront - Geometria dello sterzo ottimizzata

Carbonio **BallisTec** e lega SmartFormed

Pedivelle System Integrated di Cannondale


Sospensione anteriore **Lefty**

Perni **LockR**

Foderi alti **Zero Pivot**

GEOMETRIA

	XS (27.5)	S (27.5)	M (29)	L (29)	XL (29)
A SEAT TUBE LENGTH (CM/IN)	38.0/15.0	40/15.7	44/17.3	48/18.8	52/20.4
B TOP TUBE HORIZONTAL (CM/IN)	54.8/21.6	57/22.4	59.9/23.5	62.4/24.5	64.8/25.5
C TOP TUBE ACTUAL (CM/IN)	N/A	N/A	N/A	N/A	N/A
D HEAD TUBE ANGLE	69.5°	69.5°	69.5°	69.5°	69.5°
E SEAT TUBE ANGLE EFFECTIVE	73.5°	73.5°	73.5°	73.5°	73.5°
F SEAT TUBE ANGLE ACTUAL	N/A	N/A	N/A	N/A	N/A
F STANDOVER (CM/IN)	71.5/28.1	71.6/28.1	75.4/29.6	76/29.9	76.6/30.1
G HEAD TUBE LENGTH (CM/IN)	9.7/3.8	9.7/3.8	11/4.3	12.2/4.8	13.4/5.27
H WHEELBASE (CM/IN)	105.7/41.6	107.9/42.4	111.8/44.0	114.4/45	116.9/46
I FRONT CENTER (CM/IN)	63.1/24.9	65.3/25.7	68.5/26.9	71.1/27.9	73.5/28.9
J CHAIN STAY LENGTH (CM/IN)	42.5/16.8	42.5/16.7	43.5/17.1	★	★
K BOTTOM BRACKET DROP (CM/IN)	2.0/0.8	2.0/0.8	3.8/1.5	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	33.3/13.1	33.3/13.1	33.4/13.1	★	★
M FORK RAKE (CM/IN)	5.0/2.0	5.0/2.0	5.5/2.1	★	★
N TRAIL (CM/IN)	7.5/3.0	7.5/3.0	7.7/3.0	★	★
O STACK (CM/IN)	55.0/21.6	55.0/21.6	59.2/23.3	60.4/23.7	61.5/24.2
P REACH (CM/IN)	38.5/15.2	40.7/16	42.4/16.6	44.5/17.5	46.6/18.3



CATEGORIA

XC RACE

RUTO/MISUDO DEL COPERTONEE

27.5 / 29 x 2.25"

(XS, S) / (M, L, X, 2X)

CORSA

100mm ANTERIORE/REAR

SCALPEL-Si

COSTRUITA PER L'XXC



1 | MODERNA GEOMETRIA XC:

Foderi bassi corti per trazione e agilità, angolo di sterzo aperto per stabilità in velocità, un valore ridotto dell'avancorsa per una manovrabilità agile alle basse velocità. Attenzione: ecco la moderna XC.



2



3



4

2 | DUE BORRACCE

Alleluia! Una corretta idratazione per la maratona, senza fatica.

3 | GESTIONE PULITA DEI CAVI

Guida-cavi intercambiabili all'interno del tubo sterzo fissano l'alloggiamento in modo sicuro, supportando ogni possibile configurazione dei cavi.

4 | CARBON LINK SUPER LEGGERO, ASSI PIVOT LOCKR RIGIDI, FODERI ZERO PIVOT PIATT



C24106M

Scalpel-Si Black Inc.

	FRAME	Scalpel-Si, 100mm, BallisTec Hi-MOD Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	ENVE Carbon M50, tubeless ready (Ai offset rear), 28h
	HUBS	Lefty 60 front, Chris King ISO rear, 142x12, 28 hole (Ai Offset dish - Rear)
	SPOKES	DT-Swiss Aerolite
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram SiSL2, BB30, 26/36
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano CN-HG901, 11-speed
	REAR COGS	Shimano XTR, 11-42, 11-speed

	FRONT DERAILLEUR	Shimano XTR Di2, direct mount, 2x
	REAR DERAILLEUR	Shimano XTR Di2
	SHIFTERS	Shimano XTR Di2
	HANDLEBAR	ENVE Carbon Sweep, flat, 740mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XTR Race, 160/160mm, Ice Tech Rotors
	BRAKE LEVERS	Shimano XTR Race, carbon lever, I-Spec
	SADDLE	Prologo Zero II CPC Nack Carbon
	SEATPOST	ENVE Carbon, Di2 compatible, 31.6x400mm
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Jet Black w/ Chrome and Cashmere - Satin / Gloss - BLE
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C24606M

Scalpel-Si Team

	FRAME	Scalpel-Si, 100mm, BallisTec Hi-MOD Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	ENVE Carbon M50, tubeless ready (Ai offset rear), 28h
	HUBS	Lefty 60 front, DT-Swiss C-36 Custom 36 Point Engagement, 142x12, 28 hole (Ai Offset dish - Rear)
	SPOKES	DT-Swiss Aerolite
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	SRAM XX1 Eagle, BB30, 34T, Ai Custom
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	SRAM PC-X01 Eagle
	REAR COGS	SRAM XG-129S Eagle, 10-50, 12-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	SRAM XX1 Eagle, Type 3 RBC, 12-speed
	SHIFTERS	SRAM XX1 Eagle, 12-speed
	HANDLEBAR	FSA K-Force Custom Carbon, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	SRAM Level Ultimate, 180/160mm, Centerline Rotors
	BRAKE LEVERS	SRAM Level Ultimate
	SADDLE	ProLogo Zero II TiRox Rails
	SEATPOST	FSA K-Force Carbon 31.6x400mm
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Berzerker Green w/ Jet Black and Chrome, Gloss - GRN
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C24656M

Scalpel-Si Race

	FRAME	Scalpel-Si, 100mm, BallisTec Hi-MOD Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	ENVE Carbon M50, tubeless ready (Ai offset rear), 28h
	HUBS	Lefty 60 front, DT-Swiss C-36 Custom 36 Point Engagement, 142x12, 28 hole (Ai Offset dish - Rear)
	SPOKES	DT Swiss AeroLite (Ai offset lacing)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, hollow forged, BB30, 32t Ai SpideRing
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano HG901, 11-speed
	REAR COGS	Shimano XT, 11-42, 11-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	Shimano XTR Shadow Plus, 11-speed
	SHIFTERS	Shimano XTR, 11-speed
	HANDLEBAR	Cannondale CZero flat, Carbon, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XTR Race, 160/160mm, Ice Tech Rotors
	BRAKE LEVERS	Shimano XTR Race, carbon lever
	SADDLE	ProLogo Zero II TiRox Rails
	SEATPOST	Cannondale C2 Carbon, Micro Adjust, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Exposed Carbon w/ Berzerker Green, Chrome, Matte Nearly Black, Gloss - REP
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C24116M

Scalpel-Si Carbon 1

	FRAME	Scalpel-Si, 100mm, BallisTec Hi-MOD Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	Cannondale CZero SL, Superlight Hi-Impact Carbon, Tubeless Ready, 28hole, 23mm ID
	HUBS	CZero Straight Pull, Lefty 60 front, 39-point engagement rear, 142x12, 28h (Ai Offset dish - Rear)
	SPOKES	DT-Swiss Aerolite (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, hollow forged, BB30, 32t Ai SpideRing
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano HG601, 11-speed

	REAR COGS	Shimano XT, 11-42, 11-speed
	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	Shimano XTR Shadow Plus, 11-speed
	SHIFTERS	Shimano XT, 11-speed
	HANDLEBAR	Cannondale CZero flat, Carbon, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XTR Race, 160/160mm, Ice Tech Rotors
	BRAKE LEVERS	Shimano XTR Race, carbon lever
	SADDLE	ProLogo Zero II TiRox Rails
	SEATPOST	Cannondale C2 Carbon, Micro Adjust, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Acid Red w/ Jet Black and Charcoal Gray, Gloss - ARD
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C24206M

Scalpel-Si Carbon 2

	FRAME	Scalpel-Si, 100mm, BallisTec Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	Cannondale CZero, Superlight Hi-Impact Carbon, Tubeless Ready, 28hole, 23mm ID
	HUBS	CZero Straight Pull, Lefty 60 front, 39-point engagement rear, 142x12, 28h (Ai Offset dish - Rear)
	SPOKES	Grand Forza Double Butted (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, hollow forged, BB30, 32t Ai SpideRing
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	SRAM PCX1, 11-speed

	REAR COGS	SRAM XG-1180, 10-42, 11-speed
	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	SRAM XX1, Type 2 RBC, 11-speed
	SHIFTERS	SRAM X01, 11-speed
	HANDLEBAR	Cannondale CZero flat, Carbon, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XT hydraulic disc, 160/160mm
	BRAKE LEVERS	Shimano XT
	SADDLE	Prologo Zero II STN
	SEATPOST	Cannondale C2 Carbon, Micro Adjust, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Jet Black w/ Neon Spring and Berzerker Green, Gloss - GRN
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C24306M

Scalpel-Si Carbon 3

	FRAME	Scalpel-Si, 100mm, BallisTec Carbon, Zero Pivot seatstay, Carbon Link, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc Full Sprint remote, 55mm offset (29), 50mm offset (27.5)
	REAR SHOCK	RockShox Monarch XX, 100mm, Full Sprint remote
	RIMS	Stan's NoTubes ZTR CREST, 32 hole, tubeless ready, 23mm ID
	HUBS	CZero Straight Pull, Lefty 60 front, 39-point engagement rear, 142x12, 28h (Ai Offset dish - Rear)
	SPOKES	Grand Forza Double Butted (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, hollow forged, BB30, 32t Ai SpideRing
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano HG601, 11-speed
	REAR COGS	Shimano XT, 11-42, 11-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	Shimano XTR Shadow Plus, 11-speed
	SHIFTERS	Shimano XT, 11-speed
	HANDLEBAR	Cannondale CZero flat, Carbon, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XT hydraulic disc, 160/160mm
	BRAKE LEVERS	Shimano XT
	SADDLE	Prologo Zero II STN
	SEATPOST	Cannondale C2 Carbon, Micro Adjust, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Jet Black w/ Nearly Black and Charcoal Gray, Matte - BBQ
	COLOR 2	Berzerker Green w/ Jet Black and Charcoal Gray, Gloss - GRN
	EXTRAS	N/A



C24406M

Scalpel-Si Carbon 4

	FRAME	Scalpel-Si, 100mm, BallisTec Carbon, Zero Pivot seatstay, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc remote, 55mm offset
	REAR SHOCK	RockShox Monarch RL, 100mm
	RIMS	Stan's ZTR Rapid 25, 32 hole, tubeless ready
	HUBS	Lefty 60 front, Formula DHT-142x12, (Ai Offset dish - Rear)
	SPOKES	DT Swiss Competition (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph Performance, 29x2.25", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, BB30, 36/26 CNC Rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano CN-HG601, 11-speed
	REAR COGS	Shimano XT M8000, 11-42, 11-speed

	FRONT DERAILLEUR	Shimano XT M8000
	REAR DERAILLEUR	Shimano XT M8000 Shadow Plus, 11-speed
	SHIFTERS	Shimano XT M8000, 2x11
	HANDLEBAR	Cannondale C2 Butted AL2014 Alloy, 760mm
	GRIPS	Cannondale X1 Single Lock Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XT M8000, 160/160mm
	BRAKE LEVERS	Shimano XT M8000
	SADDLE	Prologo Zero II STN
	SEATPOST	Cannondale C3, Micro Adjust, 6061 Alloy, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Acid Green w/ Anthracite and Jet Black, Gloss - AGR
	COLOR 2	Jet Black w/ Fine Silver and Charcoal Gray, Gloss - SLV
	EXTRAS	N/A



C24516M

Scalpel-Si 5

	FRAME	Scalpel-Si, 100mm, SmarFormed Alloy, Zero Pivot seatstay, PF30, 1.5 Si head tube, Ai Offset
	FORK	Lefty 2.0, 100mm, PBR Isolated Damper Technology with XC+ tune and updated controls, 55mm offset
	REAR SHOCK	RockShox Monarch RL, 100mm
	RIMS	Stan's ZTR Rapid 29, 32 hole, tubeless ready
	HUBS	Lefty 60 front, Formula DHT-142x12, (Ai Offset dish - Rear)
	SPOKES	DT-Swiss Champion (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph Performance, 29x2.25", folding, tubeless ready
	PEDALS	
	CRANK	Cannondale Si, BB30, 36/26 CNC Rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	SRAM 11-speed
	REAR COGS	SRAM PG-1130, 11-speed, 11-42

	FRONT DERAILLEUR	Shimano XT M8000, 11-speed
	REAR DERAILLEUR	SRAM GX, 11-speed
	SHIFTERS	SRAM S Series, 2x11
	HANDLEBAR	Cannondale C2 Butted AL2014 Alloy, 760mm
	GRIPS	Cannondale X1 Single Lock Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore M506 hydraulic disc, 180/160mm
	BRAKE LEVERS	Shimano Deore M506
	SADDLE	Prologo K3
	SEATPOST	Cannondale C3, Micro Adjust, 6061 Alloy, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Matte Jet Black w/ Matte Ultra Blue and Gloss Black - BLK
	COLOR 2	N/A
	EXTRAS	N/A

F-Si CARBON

IL FUTURO DELL'XC

Una hardtail unica. Progettata per consentirvi di battere tutti in salita e sbaragliarli in discesa, questo razzo ultraleggero è il vostro biglietto per arrivare in cima al podio.

RICAPITOLANDO:

Costruita per l'odierno XC da cardiopalma, la F-Si Carbon è la hardtail XC più veloce mai realizzata.

PRINCIPALI ARGOMENTI DI VENDITA:

» L'AGILITÀ XC INCONTRA LA STABILITÀ ALL-MOUNTAIN

La geometria dello sterzo **OutFront** vi offre il meglio di due mondi: stabile e prevedibile su discese sfrenate, ma precisa e agile in qualunque altra situazione.

» TRAZIONE PAZZESCA - SENZA COMPROMESSI

La trasmissione con offset **Ai** inventata da noi offre foderi bassi super corti per una trazione eccellente in salita e una maneggevolezza agile, senza sacrificare spazio per i pneumatici e lo scarico del fango o limitarvi a una configurazione con un pacco corone singolo.

» RIGIDITÀ ESPLOSIVA

Basta con la flessione che spreca energia. La F-Si Carbon è rigida in tutti i posti giusti grazie a ruota posteriore **Ai**, foderi bassi super corti e struttura in carbonio **BallisTec**.

» LA MIGLIORE FORCELLA XC... PUNTO.

Con la sua precisione di sterzo incredibilmente rigida e sicura, la **Lefty** sgomina i telai XC flessibili della concorrenza con una stabilità in curva e una maneggevolezza superiori. Il rake extra lungo custom rende possibile la nostra geometria dello sterzo **OutFront**.

» DIAMETRI DELLE RUOTE IN FUNZIONE DELLE TAGLIE

Per ottenere la miglior posizione in sella possibile per tutti i rider, le taglie piccole sono state disegnate attorno a ruote da 27.5", mentre quelle dalla M alla XL attorno a ruote da 29".



PROFILO DEL CICLISTA

Atleti della coppa del mondo XC e chi aspira a raggiungere la gloria nelle gare XC.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

XC moderno allo stato puro. Posteriore piatto ribassato con distribuzione centrale del peso.





TECNOLOGIA:

Costruzione In Carbonio **BallisTec**

Ai - Trasmissione Offset Con Asymmetric Integration

Outfront - Geometria Dello Sterzo Ottimizzata


Si - System Integration

Micro-Sospensione Speed Save

Reggisella Ammortizzato Save 2

GEOMETRIA

	XS (27.5")	S (27.5")	M (29")	L (29")	X(29")
A SEAT TUBE LENGTH (CM/IN)	36.5/14.4	38.5/15.2	43.5/17.1	48.5/19.1	53.5/21.1
B TOP TUBE HORIZONTAL (CM/IN)	54.7/21.5	57.0/22.4	59.6/23.5	62.2/24.5	64.9/25.5
C TOP TUBE ACTUAL (CM/IN)	52.6/20.7	54.4/21.4	56.5/22.2	59.0/23.2	61.7/24.3
D HEAD TUBE ANGLE	68.9°	69.0°	69.7°	69.8°	69.9°
E SEAT TUBE ANGLE EFFECTIVE	73.4°	73.3°	73.2°	73.1°	73.0°
F SEAT TUBE ANGLE ACTUAL	71.5°	71.4°	71.3°	71.2°	71.1°
G STANDOVER (CM/IN)	73.0/28.7	73.7/29.0	77.7/30.6	80.6/31.7	83.7/32.9
H HEAD TUBE LENGTH (CM/IN)	9.7/3.8	9.7/3.8	9.7/3.8	11.0/4.3	12.2/4.8
I WHEELBASE (CM/IN)	105.3/41.5	107.2/42.2	109.7/43.2	112.2/44.2	114.7/45.2
J FRONT CENTER (CM/IN)	63.5/25.0	65.6/25.8	67.6/26.6	70.0/27.6	72.5/28.5
K CHAIN STAY LENGTH (CM/IN)	42.2/16.6	42.5/16.7	42.9/16.9	★	★
L BOTTOM BRACKET DROP (CM/IN)	4.5/1.8	4.5/1.8	6.2/2.4	★	★
M BOTTOM BRACKET HEIGHT (CM/IN)	30.8/12.1	30.8/12.1	30.8/12.1	★	★
N FORK RAKE (CM/IN)	5.0/2.0	5.0/2.0	5.5/2.2	★	★
O TRAIL (CM/IN)	8.3/3.3	8.2/3.2	7.8/3.1	7.8/3.1	7.7/3.0
P STACK (CM/IN)	57.0/22.4	56.9/22.4	60.3/23.7	61.5/24.2	62.8/24.7
Q REACH (CM/IN)	37.7/14.8	39.9/15.7	41.4/16.3	43.5/17.1	45.7/18.0



CATEGORIA

XC RACE

LAUFRAD-/REIFENGROSSE

27.5 / 29 x 2.25"
(XS, S) / (M, L, X)

CORSA

100mm ANTERIORE



C25107M

F-Si Black Inc.

	FRAME	F-Si Asymmetric, BallisTec Hi-MOD Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc remote, Offset - 50mm (S), 55mm (M-X)
	REAR SHOCK	N/A
	RIMS	ENVE Carbon M50, tubeless ready
	HUBS	Lefty 60 front, Chris King rear, 28 hole (Ai Offset dish - Rear)
	SPOKES	DT Swiss AeroLite (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29/27.5x2.2.5", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram SiSL2, Ai, BB30, 36/26
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano HG901, 11-speed
	REAR COGS	Shimano HG901, 11-speed

	FRONT DERAILLEUR	Shimano XTR Di2, direct mount, 2x
	REAR DERAILLEUR	Shimano XTR Di2, direct mount
	SHIFTERS	Shimano XTR Di2, 11-speed
	HANDLEBAR	ENVE Carbon Sweep, flat, 740mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XTR Race, 160/160mm, Ice Tech Rotors
	BRAKE LEVERS	Shimano XTR Race, carbon lever
	SADDLE	Prologo Zero 2 CPC Nack
	SEATPOST	ENVE Carbon, Di2 compatible, 27.2x400mm
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Jet Black w/ Chrome and Cashmere - Satin / Gloss - BLE
	COLOR 2	N/A
	EXTRAS	Di2 Charger, Di2 Seatpost battery, Tubeless Kit



C25137M

F-Si Carbon Team

	FRAME	F-Si Asymmetric, BallisTec Hi-MOD Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
	FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc remote, Offset - 50mm (S), 55mm (M-X)
	REAR SHOCK	N/A
	RIMS	ENVE Carbon M50, tubeless ready
	HUBS	Lefty 60 front, DT Swiss Custom C-36, 36 Point Engagement, 28 hole (Ai Offset dish - Rear)
	SPOKES	DT Swiss AeroLite (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29/27.5x2.25", folding, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, Ai, BB30, SpideRing 32T
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	SRAM PCX01 Eagle, 12-speed

	REAR COGS	SRAM XG1295 Eagle, 10-50, 12-speed
	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	SRAM XX1 Eagle, 12-speed
	SHIFTERS	SRAM XX1 Eagle, 12-speed
	HANDLEBAR	FSA K-Force Carbon, flat, 760mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	SRAM Level Ultimate, 180/160mm, Centerline Rotors
	BRAKE LEVERS	SRAM Level Ultimate
	SADDLE	Prologo Zero II TiRox Rail
	SEATPOST	Cannondale F-Si SAVE Carbon 27.2x400mm
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Berserker Green w/Chrome, Gloss - REP
	COLOR 2	N/A
	EXTRAS	Tubeless Kit



C25157M

F-Si Carbon 1

 FRAME	F-Si Asymmetric, BallisTec Hi-MOD Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
 FORK	Lefty 2.0 Carbon, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc remote, Offset - 50mm (S), 55mm (M-X)
 REAR SHOCK	N/A
 RIMS	Cannondale CZero SL, Superlight Hi-Impact Carbon, Tubeless Ready, 28hole, 23mm ID, Ai Offset Rear
 HUBS	CZero Straight Pull, Lefty 60 front, 39-point engagement rear, 28h (Ai Offset dish - Rear)
 SPOKES	DT-Swiss Aerolite (Ai Offset dish - Rear)
 TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29/27.5x2.25", folding, tubeless ready
 PEDALS	N/A
 CRANK	Cannondale HollowGram Si, BB30, 32t Ai SpideRing
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale Alloy PressFit30
 CHAIN	Shimano CN-HG601, 11-speed

 REAR COGS	Shimano XT, 11-42, 11-speed
 FRONT DERAILLEUR	N/A
 REAR DERAILLEUR	Shimano XTR Di2, 11-speed
 SHIFTERS	Shimano XT Di2, 11-speed
 HANDLEBAR	Cannondale CZero flat, Carbon, 760mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
 HEADSET	Cannondale HeadShok Si
 BRAKES	Shimano XT, 160/160mm, Ice Tech Rotors
 BRAKE LEVERS	Shimano XT
 SADDLE	Prologo Zero II TiRox Rail
 SEATPOST	Cannondale F-Si SAVE Carbon 27.2x400mm
 SIZES	S (27.5") M,L,XL (29")
 COLOR 1	Acid Red w/Jet Black, Gloss - ARD
 COLOR 2	N/A
 EXTRAS	Tubeless Kit



C25207M

F-Si Carbon 2

 FRAME	F-Si Asymmetric, BallisTec Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
 FORK	Lefty 2.0, 100mm, XLR Isolated Damper Technology with XC+ tune and XLoc remote, Offset - 50mm (S), 55mm (M-X)
 REAR SHOCK	N/A
 RIMS	Cannondale CZero Superlight Hi-Impact Carbon, Tubeless Ready, 28 hole, 23mm ID, tubeless ready (Ai Offset dish - Rear)
 HUBS	Lefty 60 front, CZero rear (Ai Offset dish - Rear)
 SPOKES	CZero (Ai Offset dish - Rear)
 TIRES	Schwalbe Racing Ralph EVO Snakeskin, 29/27.5x2.1", folding, tubeless ready
 PEDALS	N/A
 CRANK	Cannondale HollowGram Si, Ai, BB30, SpideRing 32T
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale Alloy PressFit30
 CHAIN	Shimano CN-HG601, 11-speed

 REAR COGS	Shimano XT, 11-42, 11-speed
 FRONT DERAILLEUR	N/A
 REAR DERAILLEUR	Shimano XTR, Shadow Plus, 11-speed
 SHIFTERS	Shimano XT, 1x11
 HANDLEBAR	Cannondale C1 flat, carbon, 760mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
 HEADSET	Cannondale HeadShok Si
 BRAKES	Magura MT-RACE w/ Storm SL Rotors, 180/160mm
 BRAKE LEVERS	Magura MT-RACE w/ Carbotech body, reach adjust, Shiftmix
 SADDLE	Prologo Zero II STN Rail
 SEATPOST	Cannondale F-Si SAVE 2 Carbon, 27.2x400mm
SIZES	XS,S (27.5") M,L,XL (29")
COLOR 1	Midnight Blue w/ Neon Spring, Turquoise, Gloss - MDN
COLOR 2	Jet Black w/ Hazard Orange, Chrome, Gloss - ORG
EXTRAS	Tubeless Kit



C25307M

F-Si Carbon 3

	FRAME	F-Si Asymmetric, BallisTec Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
	FORK	Lefty 2.0, 100mm, PBR Isolated Damper Technology with XC+ tune and updated controls, Offset - 50mm (S), 55mm (M-X)
	REAR SHOCK	N/A
	RIMS	Stan's NoTubes ZTR Crest, 23mm inner, Tubeless Ready
	HUBS	Lefty 60 front, Custom Formula 1702 rear (Ai Offset dish - Rear)
	SPOKES	DT-Swiss Competition (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph EVO Performance, 29/27.5x2.1", tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, Ai, BB30, FSA 26/36 rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano CN-HG601, 11-speed
	REAR COGS	Shimano SLX, 11-42, 11-speed

	FRONT DERAILLEUR	Shimano XT, direct mount
	REAR DERAILLEUR	Shimano XT, Shadow Plus, 11-speed
	SHIFTERS	Shimano XT, 2x11
	HANDLEBAR	Cannondale C2 flat, 2014 double-butted alloy, 700mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Magura MT-RACE w/ Storm SL Rotors, 180/160mm
	BRAKE LEVERS	Magura MT-RACE w/ Carbotech body, reach adjust, Shiftmix
	SADDLE	Prologo Zero II STN Rail
	SEATPOST	Cannondale C2, 7075 alloy, 27.2mm x 400mm
	SIZES	XS,S (27.5") M,L,XL (29")
	COLOR 1	Nearly Black w/ Jet Black and Acid Red, Gloss - NBL
	COLOR 2	Neon Spring w/ Jet Black and Cerulean, Gloss - NSP
	EXTRAS	N/A



C25407M

F-Si Carbon 4

	FRAME	F-Si Asymmetric, BallisTec Carbon, SPEED SAVE, PF30A, 1.5 Si Head Tube, 27.5" (S), 29" (M-X)
	FORK	Lefty 2.0, 100mm, PBR Isolated Damper Technology with XC+ tune and updated controls, Offset - 50mm (S), 55mm (M-X)
	REAR SHOCK	N/A
	RIMS	WTB STP i19 Tubless Ready
	HUBS	Lefty 60 front, Formula DC-1422 rear (Ai Offset dish - Rear)
	SPOKES	DT Swiss Competition (Ai Offset dish - Rear)
	TIRES	Schwalbe Racing Ralph Performance 29/27.5x2.1", tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, Ai, BB30, FSA 26/36 rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	KMC X11, 11-speed
	REAR COGS	SunRace, 11-40, 11-speed

	FRONT DERAILLEUR	Shimano SLX, direct mount
	REAR DERAILLEUR	Shimano XT, Shadow Plus, 11-speed
	SHIFTERS	Shimano SLX, 2x11
	HANDLEBAR	Cannondale C3 flat, 6061 double-butted alloy, 700mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore hydraulic disc, 180/160mm (S-160/160mm)
	BRAKE LEVERS	Shimano Deore
	SADDLE	Prologo K3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (XS,S,M) 400mm (L,X)
	SIZES	XS,S (27.5") M,L,XL (29")
	COLOR 1	Anthractive w/ Jet Black, Matte - ANT
	COLOR 2	Jet Black w/ Neon Spring, Gloss - BLK
	EXTRAS	N/A

F-Si ALLOY

UN DNA DA COPPA DEL MONDO PER TUTTI QUANTI.

Un'arma XC con pedigree da coppa del mondo, la F-Si combina una moderna geometria XC con la nostra rinomata struttura del telaio in lega SmartFormed per offrire prestazioni agonistiche mozzafiato a un prezzo più accessibile.

RICAPITOLANDO:

Un rapporto prezzo-prestazioni imbattibile per il moderno XC.

PRINCIPALI ARGOMENTI DI VENDITA:

» L'AGILITÀ XC INCONTRA LA STABILITÀ ALL-MOUNTAIN

I modelli dotati di **Lefty** vengono ottengono una geometria dello **OutFront** completa, mentre altre sfruttano il rake della forcella più lungo disponibile per bilanciare la stabilità alle alte velocità con l'agilità alle basse velocità.

» TRAZIONE VINCENTE

Una sagomatura vincente dei tubi e un tubo reggisella curvo offrono foderi bassi corti stretti per una rigidità laterale eccezionale e una trazione vincente in gara.

» INCREDIBILMENTE COMODA

La tecnologia a micro-sospensioni SAVE utilizza foderi alti e bassi appiattiti e sagomati di nostra invenzione per garantire una guidabilità sorprendentemente docile.

» RUOTE SU MISURA

La migliore calzata possibile per biker di tutte le stature, la F-Si usa ruote da 27,5" per la taglia small e ruote da 29" per le taglie da medium a x-large.



PROFILO DEL CICLISTA

Aspiring XC racers looking for a bike to take their performance to the next level.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

XC moderno allo stato puro. Posteriore piatto ribassato con distribuzione centrale del peso.





TECNOLOGIA:

OutFront - Geometria dello sterzo ottimizzata


Save Micro-Suspension

Tubo dello sterzo Si da 1,5

Struttura in lega SmartFormed

GEOMETRIE

	XS (27.5")	S (27.5")	M (29")	L (29")	X (29")
A SEAT TUBE LENGTH (CM/IN)	36.5/14.4	38.5/15.2	43.5/17.1	48.3/19.0	53.3/21.0
B TOP TUBE HORIZONTAL (CM/IN)	54.7/21.5	57.0/22.4	59.6/23.5	62.3/24.5	64.8/25.5
C TOP TUBE ACTUAL (CM/IN)	52.6/20.7	54.4/21.4	56.5/22.2	59.0/23.2	61.7/24.3
D HEAD TUBE ANGLE	68.9°	69.0°	69.7°	69.8°	69.9°
E SEAT TUBE ANGLE EFFECTIVE	73.4°	73.3°	73.2°	73.1°	73.0°
F SEAT TUBE ANGLE ACTUAL	71.5°	71.4°	71.3°	71.2°	71.1°
G STANDOVER (CM/IN)	73.0/28.7	73.7/29.0	77.7/30.6	80.6/31.7	83.7/32.9
H HEAD TUBE LENGTH (CM/IN)	9.7/3.8	9.7/3.8	9.7/3.8	11.0/4.3	12.2/4.8
I WHEELBASE (CM/IN)	105.3/41.5	107.4/42.3	110.3/43.4	112.9/44.4	115.2/45.4
J FRONT CENTER (CM/IN)	63.5/25.0	65.6/25.8	67.6/26.6	70.1/27.6	72.4/28.5
K CHAIN STAY LENGTH (CM/IN)	42.2/16.6	42.2/16.6	43.5/17.1	★	★
L BOTTOM BRACKET DROP (CM/IN)	4.5/1.8	4.5/1.8	6.2/2.4	★	★
M BOTTOM BRACKET HEIGHT (CM/IN)	30.8/12.1	30.8/12.1	31.0/12.2	★	★
N FORK RAKE (CM/IN)	5.0/2.0	5.0/2.0	5.5/2.2	★	★
O TRAIL (CM/IN)	8.3/3.3	8.2/3.2	7.9/3.1	7.8/3.1	7.8/3.1
P STACK (CM/IN)	57.0/22.4	57.0/22.5	60.3/23.7	61.5/24.2	62.8/24.7
P REACH (CM/IN)	37.7/14.8	39.9/15.7	41.4/16.3	43.6/17.2	45.6/18.0



CATEGORIA

XC RACE

RUTO/MISUDO DEL COPERTONEE

27.5 / 29 x 2.1"

(XS, S) / (M, L, X)

CORSA

100mm ANTERIORE



C25517M

F-Si 1

	FRAME	F-Si, SmartForm C1 Alloy, BB30, Flat Mount Brake, 1.5 Si headtube, S (27.5) M-XL (29)
	FORK	Lefty 2.0, 100mm, PBR Isolated Damper Technology with XC+ tune and updated controls, Offset - 50mm (S), 55mm (M-X)
	REAR SHOCK	N/A
	RIMS	Stan's ZTR Rapid, 32 hole, tubeless ready
	HUBS	Lefty 60 front, Formula DC-1422 rear
	SPOKES	Stainless Steel, 15g
	TIRES	Schwalbe Racing Ralph Performance 29/27.5x2.1", tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, BB30, SpideRing 32T
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30
	CHAIN	Shimano CN-HG601, 11-speed
	REAR COGS	SunRace, 11-42, 11-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	Shimano XT, 11-speed
	SHIFTERS	Shimano SLX, 11-speed
	HANDLEBAR	Cannondale C3 flat, 6061 double-buttressed alloy, 700mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, -5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore hydraulic disc, 180/160mm (S-160/160mm)
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Jet Black w/ Berzerker Green, Matte - BBQ
	COLOR 2	N/A
	EXTRAS	N/A



C25527M

F-Si 2

	FRAME	F-Si, SmartForm C1 Alloy, BB30, Flat Mount Brake, 1.5 Si headtube, S (27.5) M-XL (29)
	FORK	RockShox Reba RL, 29"/27.5", 100mm, tapered steerer, 15mm Maxle, OneLoc remote lockout, 51mm offset
	REAR SHOCK	N/A
	RIMS	Stan's ZTR Rapid, 32 hole, tubeless ready
	HUBS	Formula DC51 front, DC-22 rear
	SPOKES	Stainless Steel, 15g
	TIRES	Schwalbe Racing Ralph Performance 29/27.5 x 2.1", tubeless ready
	PEDALS	N/A
	CRANK	FSA Comet MegaExo, 36/26, 11-speed
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	KMC X11, 11-speed
	REAR COGS	SunRace, 11-40, 11-speed

	FRONT DERAILLEUR	Shimano SLX
	REAR DERAILLEUR	Shimano XT, 11-speed
	SHIFTERS	Shimano SLX, 2x11
	HANDLEBAR	Cannondale C3 flat, 6061 double-buttressed alloy, 700mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, -5 deg.
	HEADSET	Tange 1.5 for Tapered Steer tubes
	BRAKES	Shimano Deore hydraulic disc, 180/160mm (S-160/160mm)
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
	SIZES	S (27.5") M,L,XL (29")
	COLOR 1	Matte Jet Black w/ Gloss Hazard Orange - ORG
	COLOR 2	N/A
	EXTRAS	N/A



C25537M

F-Si 3

 FRAME	F-Si, SmartForm C1 Alloy, BB30, Flat Mount Brake, 1.5 Si headtube, S (27.5) M-XL (29)
 FORK	RockShox Recon Gold RL, 100mm, 1-1/8" steerer, 15mm Maxle, Oneloc remote lockout, 51mm offset
 REAR SHOCK	N/A
 RIMS	Cannondale DC 3.0, double wall, 32 hole
 HUBS	Formula DC51 front, DC-22 rear
 SPOKES	Stainless Steel, 15g
 TIRES	Schwalbe Rapid Rob Performance 29/27.5 x 2.1", tubeless ready
 PEDALS	N/A
 CRANK	FSA Comet MegaExo, 36/26, 11-speed
 CRANK OPTION	N/A
 BOTTOM BRACKET	FSA MegaExo
 CHAIN	KMC X11 11-speed
 REAR COGS	SunRace, 11-40, 11-speed

 FRONT DERAILLEUR	Shimano SLX
 REAR DERAILLEUR	Shimano XT, 11-speed
 SHIFTERS	Shimano SLX, 2x11
 HANDLEBAR	Cannondale C3 flat, 6061 double-buttressed alloy, 700mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, -5 deg.
 HEADSET	Tange 1.5 for Tapered Steer tubes
 BRAKES	Shimano hydraulic disc, 180/160mm (S-160/160mm)
 BRAKE LEVERS	Shimano M445
 SADDLE	Cannondale Stage 3
 SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
 SIZES	S (27.5") M,L,XL (29")
 COLOR 1	Matte Jet Black w/ Gloss Ultra Blue - BLU
 COLOR 2	N/A
 EXTRAS	N/A

HABIT

PRENDI L'ABITUDINE ALLA HABIT

Avremmo anche potuto chiamarla "il punto di equilibrio perfetto". Bilanciata e in grado di competere con bici a maggiore escursione, ma abbastanza leggera e vivace da far venire un fremito agli agonisti, alla Habit preme principalmente assicurare la caratteristica più importante della MTB- il divertimento puro, semplice e brucia il trail! Perciò, se stai cercando un'unica bicicletta tuttodfare, scegli una Habit.

RICAPITOLANDO:

Con capacità all-mountain ed efficienza XC, la Habit è la perfetta macchina MTB divertente per fare tutto... e farlo bene.

PRINCIPALI ARGOMENTI DI VENDITA:

» MANEGGEVOLEZZA DA TRAIL

La geometria dello sterzo **OutFront** e una posizione bilanciata del biker tarata su un attacco manubrio corto conferiscono alla Habit doti da trail spettacolari, sia in salita che in discesa.

» LEGGERA E RIGIDA

I nostri foderi alti **Zero Pivot** e i perni **LockR** mantengono il retrotreno leggero, rigido e decisamente efficiente.

» UNA HABIT PER TUTTI

Tre opzioni di telaio includono carbonio **BallisTec** completo, **BallisTec** davanti/lega SmartFormed dietro o lega SmartFormed integrale. Tutte e tre sono dotate del giunto in carbonio superleggero.

» STUDIATA PER SPACCARRE

Con manubri larghi, attacco manubrio corto, dischi freno grandi e cerchi e pneumatici larghi che fanno presa sul trail, la Habit è pronta per sollevare il pavimento dello showroom.

» DESTINATA A QUALCOSA DI GRANDE


Il modello Habit SE esce con pneumatici e freni più grandi e una **Lefty** con corsa di 130 mm per essere ancora più tosta sulle discese.



PROFILO DEL CICLISTA

Chi pratica l'off-road e cerca una bici dalle capacità indiscusse, con prestazioni equilibrate sia nelle salite che nelle discese.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione equilibrata dell'avancorsa per una sicurezza all-mountain stabile.





TECNOLOGIA:

Outfront - Geometria Dello Sterzo Ottimizzata

Foderi Alti **Zero Pivot**

Perni Lockr

Struttura In Carbonio **BallisTec** / Struttura In Lega Smartform


Pedivelle System Integrated Di Cannondale

Freno Posteriore Con Attacco Piatto

GEOMETRIA

	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM/IN)	40.0/15.7	44.0/17.3	48.0/18.9	52.0/20.5
B TOP TUBE HORIZONTAL (CM/IN)	56.2/22.1	59.4/23.4	62.0/24.4	65.0/25.6
C TOP TUBE ACTUAL (CM/IN)	54/21.3	57/22.4	59.6/23.5	62.9/24.8
D HEAD TUBE ANGLE	68.0°	★	★	★
E SEAT TUBE ANGLE EFFECTIVE	74.0°	★	★	★
F SEAT TUBE ANGLE ACTUAL	72.2°	★	★	★
F STANDOVER (CM/IN)	72.2/28.4	74.1/29.2	74.3/29.3	75.3/29.6
G HEAD TUBE LENGTH (CM/IN)	9.7/3.8	11.0/4.3	12.2/4.8	13.4/5.3
H WHEELBASE (CM/IN)	110.1/43.3	113.4/44.7	116.1/45.7	119.3/47.0
I FRONT CENTER (CM/IN)	67.0/26.4	70.3/27.7	73.0/28.7	76.1/30.0
J CHAIN STAY LENGTH (CM/IN)	42.9/16.9	★	★	★
K BOTTOM BRACKET DROP (CM/IN)	1.9/0.7	★	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	33.4/13.1	★	★	★
M FORK RAKE (CM/IN)	5.0/2.0	★	★	★
N TRAIL (CM/IN)	8.5/3.4	★	★	★
O STACK (CM/IN)	57.0/22.4	58.2/22.9	59.4/23.4	60.5/23.8
P REACH (CM/IN)	39.9/15.7	42.7/16.8	45.0/17.7	47.7/18.8

*Refer to GEOMETRIE section for HABIT SE



CATEGORIA

TRAIL

RUTO/MISUDO DEL COPERTONEE

27.5x2.25/2.35"

CORSA

120mm ANTERIORE / REAR
130/120mm - Habit SE



C23107M

Habit Black Inc.

	FRAME	Habit 27.5, 120mm, Full BallisTec Carbon, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Carbon, 120mm, XLR Isolated Damper Technology with Trail+ tune and XLoc Full Sprint remote, 50mm offset
	REAR SHOCK	RockShox Monarch DebonAir XX, 120mm Travel, Full Sprint XLoc
	RIMS	ENVE M60 HV Carbon, 26mm inner, 32h, tubeless Ready, 27.5
	HUBS	Chris King ISO 142x12 Maxle Lite thru-axle rear, Lefty 60 front
	SPOKES	DT Swiss Aerolite
	TIRES	Schwalbe 27.5 Nobby Nic EVO 2.35" front, Nobby Nic EVO 2.25" rear, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale HollowGram SiSL2, BB30, 26/36 Praxis chainrings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano XTR, 11-speed
	REAR COGS	Shimano XTR, 11-42, 11-speed

	FRONT DERAILLEUR	Shimano XTR Di2
	REAR DERAILLEUR	Shimano XTR Di2
	SHIFTERS	Shimano XTR Di2, 11-speed
	HANDLEBAR	Enve Carbon Riser, 760mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XTR Trail, with fins
	BRAKE LEVERS	Shimano XTR Trail with Reach Adjust
	SADDLE	Fabric Scoop Flat Ultimate
	SEATPOST	RockShox Reverb Stealth dropper, 31.6, Travel - 125mm (S,) 150mm (M,L,X)
	SIZES	S,M,L,XL
	COLOR 1	Jet Black w/ Chrome and Cashmere - Satin / Gloss - BLE
	COLOR 2	N/A
	EXTRAS	Di2 Charger, Battery, Tubeless kit



C23127M

Habit Carbon 1

	FRAME	Habit 27.5, 120mm, Full BallisTec Carbon, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Carbon OPI, 120mm, XLR Isolated Damper Technology with Trail+ tune and XLoc Full Sprint remote, 50mm offset
	REAR SHOCK	Fox Float DPS
	RIMS	Cannondale HollowGram 30, Superlight Hi-Impact Carbon, 30mm inner, hookless bead, tubeless ready, 27.5
	HUBS	Lefty 60 front, HollowGram Si 142x12, 39t/4-pawl freehub rear, 28h, straight-pull
	SPOKES	Sandvik butted straight pull
	TIRES	Schwalbe Nobby Nic SnakeSkin 27.5x2.35" front, 2.25" rear, tubeless ready
	PEDALS	N/A
	CRANK	SRAM XX1 Eagle, 30t
	CRANK OPTION	N/A
	BOTTOM BRACKET	Praxis PF30 to GXP Conversion BB, Sealed Cartridge Bearings
	CHAIN	SRAM PC-X01 Eagle
	REAR COGS	SRAM XG-1295 Eagle 10-50, 12-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	SRAM XX1 Eagle, Type 3 RBC, 12-speed
	SHIFTERS	SRAM XX1 Eagle Trigger, 12-speed
	HANDLEBAR	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	SRAM Guide RSC, 180/160mm, Centerline Rotors
	BRAKE LEVERS	SRAM Guide RSC
	SADDLE	Fabric Scoop Shallow Race with Titanium rails
	SEATPOST	RockShox Reverb Stealth dropper, 31.6, 125mm (S,M) 150mm (L,X) Travel
	SIZES	S,M,L,XL
	COLOR 1	Midnight Blue w/ Acid Red, Gloss - MDN
	COLOR 2	N/A
	EXTRAS	Tubeless kit



C23207M

Habit Carbon 2

 FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartForm C1 Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
 FORK	Lefty 2.0 Alloy OPI, 120mm, XLR Isolated Damper Technology with Trail+ tune and XLoc Full Sprint remote, 50mm offset
 REAR SHOCK	RockShox Monarch DebonAir XX, 120mm Travel, Fullsprint XLoc
 RIMS	Stans Arch Ex MK3 32H, 26mm inner 27.5 Tubeless ready
 HUBS	Lefty 60 front, Formula with HG driver 142x12 rear
 SPOKES	DT Swiss Competition
 TIRES	Schwalbe Nobby Nic SnakeSkin 27.5x2.35 front, 2.25 rear tubeless ready
 PEDALS	N/A
 CRANK	Cannondale HollowGram Si, hollow forged, BB30, 30t SpideRing
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale Alloy PressFit30
 CHAIN	Shimano CN-HG601, 11-speed
 REAR COGS	Shimano XT, 11-42, 11-speed
 FRONT DERAILLEUR	N/A

 REAR DERAILLEUR	Shimano XTR, 11-speed
 SHIFTERS	Shimano XT, 11-speed
 HANDLEBAR	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale Dual Locking Grips
 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
 HEADSET	Cannondale HeadShok Si
 BRAKES	Shimano XT, 180/160mm, Ice Tech Rotors
 BRAKE LEVERS	Shimano XT
 SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
 SEATPOST	Fox Transfer dropper, Internal Routing, 31.6, 125mm Travel Sm/150mm M-XL
 SIZES	S,M,L,XL
 COLOR 1	Vulcan Green with Acid Orange, Jet Black; Matte - VUG
 COLOR 2	N/A
 EXTRAS	N/A



C23257M

Habit Carbon SE

 FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartForm C1 Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
 FORK	Lefty 2.0 Alloy OPI, 130mm, PBR Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset
 REAR SHOCK	Fox Float DPS, 3-position lever, 120mm Travel
 RIMS	WTB Frequency Race i29 TCS 27.5, Tubeless Ready, 29mm Inner
 HUBS	Lefty 60 front, Formula with XD driver 142x12 rear
 SPOKES	DT Swiss Competition
 TIRES	Schwalbe Magic Mary Snake Skin front, Nobby Nic SnakeSkin rear. 27x2.35" Tubeless Ready
 PEDALS	N/A
 CRANK	Cannondale Si, BB30, SpideRing 30t
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale Alloy PressFit30
 CHAIN	SRAM PCX1, 11-speed
 REAR COGS	SRAM XG-1150, 10-42, 11-speed
 FRONT DERAILLEUR	N/A

 REAR DERAILLEUR	SRAM X1, 11-speed
 SHIFTERS	SRAM X1, 11-speed
 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale Dual Locking Grips
 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
 HEADSET	Cannondale HeadShok Si
 BRAKES	SRAM Guide R, 180/180mm, Centerline Rotors
 BRAKE LEVERS	SRAM Guide R
 SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
 SEATPOST	Fox Transfer dropper, Internal Routing, 31.6, 125mm Travel Sm/150mm M-XL
 SIZES	S,M,L,XL
 COLOR 1	Mountain Purple w/ Jet Black and Acid Red - PUR
 COLOR 2	N/A
 EXTRAS	N/A



C23307M

Habit Carbon 3

	FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartForm C1 Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Alloy OPI, 120mm, PBR Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset
	REAR SHOCK	Fox Float DPS, 3-position lever, 120mm Travel
	RIMS	WTB STP i23 TCS, 32 hole, Tubeless Ready
	HUBS	Lefty 60 front, Formula with HG driver 142x12 rear
	SPOKES	DT Swiss Champion
	TIRES	Schwalbe Nobby Nic Performance 27.5x2.35 front, 2.25 rear, TwinSkin, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, BB30, FSA 26/36 rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano CN-HG601, 11-speed
	REAR COGS	Shimano SLX, 11-42, 11-speed

	FRONT DERAILLEUR	Shimano SLX, 11-speed
	REAR DERAILLEUR	Shimano XT, 11-speed
	SHIFTERS	Shimano SLX, 2x11
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore hydraulic disc, 180/160mm
	BRAKE LEVERS	Shimano Deore M16
	SADDLE	Cannondale Stage 3
	SEATPOST	TransX Dropper Post, 31.6, 120mm drop, internal routing
	SIZES	S,M,L,XL
	COLOR 1	Matte Jet Black w/ Gloss Acid Red - ARD
	COLOR 2	N/A
	EXTRAS	N/A



C23407M

Habit 4

	FRAME	Habit 27.5, 120mm, SmartForm C1 Alloy, Carbon Link, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Alloy OPI, 120mm, PBR Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset
	REAR SHOCK	RockShox Monarch RT w/ high volume eyelet, 120mm Travel
	RIMS	WTB STP i23 TCS, 32 hole, Tubeless Ready
	HUBS	Lefty 60 front, Formula with HG driver 142x12 rear
	SPOKES	14g Stainless, Black
	TIRES	Schwalbe Nobby Nic Performance 27.5x2.35 front, 2.25 rear, TwinSkin, tubeless ready
	PEDALS	N/A
	CRANK	FSA Comet MegaExo, 36/26, 11-speed
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	KMC X11, 11-speed
	REAR COGS	SunRace 11-speed, 11-42

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	Shimano SLX, 11-speed
	SHIFTERS	Shimano SLX, 11-speed
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore hydraulic disc, 180/160mm
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	TransX Dropper Post, 31.6, 120mm drop, internal routing
	SIZES	S,M,L,XL
	COLOR 1	Jet Black w/ Ultra Blue, Matte - BBQ
	COLOR 2	N/A
	EXTRAS	N/A



C23507M

Habit 5

 FRAME	Habit 27.5, 120mm, SmartForm C1 Alloy, Carbon Link, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
 FORK	RockShox Recon Gold RL Air, 120mm, tapered steerer, 15mm Maxle Lite, Poploc Handlebar mounted remote
 REAR SHOCK	RockShox Monarch RT w/ high volume eyelet, 120mm Travel
 RIMS	WTB STP i23 TCS, 32 hole, Tubeless Ready
 HUBS	Formula 100x15 front, Formula with HG driver 142x12 rear
 SPOKES	14g Stainless, Black
 TIRES	Schwalbe Nobby Nic Performance Folding 27.5x2.35 front, 2.25 rear
 PEDALS	N/A
 CRANK	FSA Comet MegaExo 36/26 11-speed
 CRANK OPTION	N/A
 BOTTOM BRACKET	FSA MegaExo
 CHAIN	KMC X11, 11-speed
 REAR COGS	SunRace 11-speed, 11-42
 FRONT DERAILLEUR	Shimano SLX 11-speed

 REAR DERAILLEUR	Shimano SLX, 11-speed
 SHIFTERS	Shimano SLX, 2x11
 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
 HEADSET	Tange 1.5 for Tapered Steer tubes
 BRAKES	Shimano M447 hydraulic disc, 180/160mm
 BRAKE LEVERS	Shimano M447 hydraulic disc
 SADDLE	Cannondale Stage 3
 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
 SIZES	S,M,L,XL
 COLOR 1	Acid Green w/ Anthracite, Gloss - AGR
 COLOR 2	N/A
 EXTRAS	N/A



C23607M

Habit 6

 FRAME	Habit 27.5, 120mm, SmartForm C1 Alloy, Carbon Link, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
 FORK	RockShox Recon Silver, Alloy Steerer, External Rebound and Lockout, 120mm
 REAR SHOCK	Fox Float DPS, 3-position lever, 120mm Travel
 RIMS	WTB STP i23 TCS, 32 hole, Tubeless Ready
 HUBS	Formula 100x9 front, Formula with HG driver 142x12 rear
 SPOKES	14g Stainless, Black
 TIRES	WTB Beeline Comp, DNA Compound 27x2.0"
 PEDALS	N/A
 CRANK	FSA Comet MegaExo 36/26 10-speed
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale BB30 with Tange BSA adapter
 CHAIN	KMC X10, 10-speed
 REAR COGS	SRAM PG1020, 11-36, 10-speed
 FRONT DERAILLEUR	SRAM X5

 REAR DERAILLEUR	SRAM GX, 10-speed
 SHIFTERS	SRAM X5 Trigger, 2x10
 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
 HEADSET	Tange 1.5 for 1.125 Steer tubes
 BRAKES	Tektro Auriga hydraulic disc, 180/160mm
 BRAKE LEVERS	Tektro Auriga hydraulic disc
 SADDLE	Cannondale Stage 3
 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
 SIZES	S,M,L,XL
 COLOR 1	Jet Black w/ Charcoal Grey, Neon Spring, Gloss - BLK
 COLOR 2	N/A
 EXTRAS	N/A

BAD HABIT

LE CATTIVE ABITUDINI SONO QUELLE PIÙ DIVERTENTI

Più presa, più galleggiamento e più divertimento nel piangere il trail - come non innamorarsene? La Bad Habit riprende le eccellenti doti da trail della Habit e le eleva all'ennesima potenza con ruote da 27+ per creare la macchina tecnica da trail definitiva.

RICAPITOLANDO:

Con la grandiosa maneggevolezza della Habit e l'enorme presa e galleggiamento in grado di superare qualsiasi ostacolo dei copertoni 27+, la Bad Habit è la macchina tecnica da trail definitiva.

PRINCIPALI ARGOMENTI DI VENDITA:

» AGGIUNGI IL CARBONIO

La novità del 2017 è che abbiamo aggiunto due modelli in carbonio alla famiglia Bad Habit. Dotate di telai principali in carbonio leggero **BallisTec**, carro **SmartForm C1** e un fantastico giunto in carbonio super leggero, le Bad Habit non sono mai state così belle.

» STERZO DOCILE

La geometria dello sterzo **OutFront** è perfetta per pneumatici 27+. La stabilità rilassata vi consente di gestire perfettamente le discese, mentre l'ampio offset della forcella mantiene lo sterzo rapido e leggero alle basse velocità.

» FODERI CORTI PER PRESTAZIONI ECCELLENTI.

Foderi bassi super corti per una guidabilità sorprendentemente agile e un sacco di spazio per pneumatici 3.0, grazie alla nostra trasmissione offset Ai.

» RUOTA POSTERIORE PIÙ RIGIDA E PIÙ ROBUSTA

tAmpi mozzi posteriori 148x12 con gli angoli dei raggi simmetrici e la tensione dell'**Ai** rendono la ruota posteriore della Bad Habit super rigida e super robusta.

» FORCELLA RIGIDA


La trazione pazzesca dei pneumatici 27+ sottopone la vostra forcella a sollecitazioni enormi. Niente resiste meglio della **Lefty**. Sterzo preciso, guidabilità senza flessione e sospensioni morbide persino sotto i carichi più intensi.



PROFILO DEL CICLISTA

Chiunque voglia il massimo divertimento sul trail, da abili biker che desiderano mettersi alla prova su terreni tosti fino a neofiti che cercano la bici più indulgente e in grado di creare la massima fiducia che ci sia.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione equilibrata dell'avancorsa per una sicurezza all-mountain stabile.





TECNOLOGIA:

Carbonio **BallisTec** e struttura in lega Smart-Formed C1
Trasmissione offset Ai

Geometria dello sterzo **OutFront**

Perni **LockR**

Foderi alti **Zero Pivot**


Pedivelle System Integrated di Cannondale

Freno posteriore con attacco piatto

Flat mount rear brake

GEOMETRIA

	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM/IN)	40.0/15.7	44.0/17.3	48.0/18.9	52.0/20.5
B TOP TUBE HORIZONTAL (CM/IN)	56.2/22.1	59.4/23.4	62.0/24.4	65.0/25.6
C TOP TUBE ACTUAL (CM/IN)	54/21.3	57/22.4	59.6/23.5	62.9/24.8
D HEAD TUBE ANGLE	68°	★	★	★
E SEAT TUBE ANGLE EFFECTIVE	74°	★	★	★
E1 SEAT TUBE ANGLE ACTUAL	72.2°	★	★	★
F STANDOVER (CM/IN)	72.9/28.7	74.8/29.4	75.0/29.5	76.0/29.9
G HEAD TUBE LENGTH (CM/IN)	9.7/3.8	11.0/4.3	12.2/4.8	13.4/5.3
H WHEELBASE (CM/IN)	111.1/43.7	114.4/45.0	117.1/46.1	120.2/47.3
I FRONT CENTER (CM/IN)	67.2/26.4	70.5/27.8	73.2/28.8	76.3/30.1
J CHAIN STAY LENGTH (CM/IN)	44.3/17.4	★	★	★
K BOTTOM BRACKET DROP (CM/IN)	3.3/1.3	★	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	33.4/13.1	★	★	★
M FORK RAKE (CM/IN)	5.5/2.2	★	★	★
N TRAIL (CM/IN)	9.1/3.6	★	★	★
O STACK (CM/IN)	58.3/23.0	59.5/23.4	60.7/23.9	61.8/24.3
P REACH (CM/IN)	38.6/15.2	41.5/16.3	43.7/17.2	46.4/18.3



CATEGORIA

TRAIL

RUTO/MISUDO DEL COPERTONEE

27.5x3.0"

CORSA

120mm
ANTERIORE/POSTERIORE.



C28107M

Bad Habit Carbon 1

	FRAME	Bad Habit 27+, 120mm, BallisTec Carbon frame, SmartForm C1 Alloy swingarm, Ai offset, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Alloy OPI, 120mm, XLR Isolated Damper Technology with Trail+tune and XLoc Full Sprint remote, 55mm offset
	REAR SHOCK	Fox Float DPS, 3-position lever w/ adjust, 120mm Travel
	RIMS	HollowGram 40, Superlight Hi-Impact Carbon, 40mm inner, hookless, tubeless ready
	HUBS	HollowGram Si, Lefty 60 front, 148x12 Ai Offset dish - rear, straight pull
	SPOKES	HollowGram, double butted, straight-pull
	TIRES	Schwalbe Nobby Nic SnakeSkin Tubeless-Easy, Folding, 27.5x3.0"
	PEDALS	N/A
	CRANK	Cannondale HollowGram Si, hollow forged, Ai, BB30, 30t SpideRing
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	Shimano HG601, 11-speed
	REAR COGS	Shimano HG601, 11-speed

	FRONT DERAILLEUR	Shimano XT, 11-42, 11-speed
	REAR DERAILLEUR	Shimano XTR, 11-speed
	SHIFTERS	Shimano XT, 11-speed
	HANDLEBAR	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano XT, 180/180mm
	BRAKE LEVERS	Shimano XT
	SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
	SEATPOST	Fox Transfer dropper, Internal Routing, 31.6, 125mm Travel Sm/150mm M-XL
	SIZES	S,M,L,XL
	COLOR 1	Neon Spring w/ Turquoise, Jet Black, Gloss - NSP
	COLOR 2	N/A
	EXTRAS	N/A



C28207M

Bad Habit Carbon 2

	FRAME	Bad Habit 27+, 120mm, BallisTec Carbon, SmartForm C1 Alloy swingarm, Ai offset, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Alloy OPI, 120mm, PBR Isolated Damper Technology with Trail+tune and updated controls, 55mm offset
	REAR SHOCK	RockShox Monarch DebonAir RT, 120mm Travel
	RIMS	WTB Scraper i40 27.5", 40mm inner, tubeless ready
	HUBS	Lefty 60 front, Formula with XD driver 148x12 Ai Offset dish rear
	SPOKES	DT Swiss Competition
	TIRES	Schwalbe Nobby Nic SnakeSkin Tubeless-Easy, Folding, 27.5x3.0"
	PEDALS	N/A
	CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale Alloy PressFit30
	CHAIN	SRAM PCX1, 11-speed
	REAR COGS	SRAM XG-1150, 10-42, 11-speed

	FRONT DERAILLEUR	N/A
	REAR DERAILLEUR	SRAM X1, 11-speed
	SHIFTERS	SRAM X1, 11-speed
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	SRAM Guide R, 180/180
	BRAKE LEVERS	SRAM Guide R
	SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
	SEATPOST	Fox Transfer dropper, Internal Routing, 31.6, 125mm Travel Sm/150mm M-XL
	SIZES	S,M,L,XL
	COLOR 1	Military Green w/ Jet Black, Anthracite, Acid Red, Matte - DGR
	COLOR 2	N/A
	EXTRAS	N/A



C28416M

Bad Habit 1

	FRAME	Bad Habit 27+, 120mm, SmartForm C1 Alloy, Ai Offset, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 55mm offset
	REAR SHOCK	RockShox Monarch RT w/ high volume eyelet, 120mm Travel
	RIMS	WTB Scraper i45 27.5", 45mm, tubeless ready
	HUBS	Lefty 60 front, Formula with XD driver 148x12 (Ai Offset dish) rear
	SPOKES	Stainless, 15g
	TIRES	WTB Bridger, 27.5x3.0, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30
	CHAIN	SRAM PC-X1, 11-speed
	REAR COGS	SRAM XG-1150, 10-42, 11-speed
	FRONT DERAILLEUR	N/A

	REAR DERAILLEUR	SRAM GX, 11-speed
	SHIFTERS	SRAM GX, 11-speed
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Dual Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	Shimano Deore hydraulic disc, 180/180mm
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S,M,L,XL
	COLOR 1	Teal w/ Turquoise, Bad Habit Blue, Gloss - TEA
	COLOR 2	N/A
	EXTRAS	N/A



C28516M

Bad Habit 2

	FRAME	Bad Habit 27+, 120mm, SmartForm C1 Alloy, Ai Offset, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
	FORK	RockShox Reba RL Boost 27+, Tapered Steerer, 120mm, 110x15mm Maxle Lite, Poploc handlebar mounted remote, 51mm offset
	REAR SHOCK	RockShox Monarch RT w/ high volume eyelet, 120mm Travel
	RIMS	Cannondale Beast, 27.5x45mm, tubeless ready
	HUBS	Formula 110x15 front, Formula with HG driver 148x12 (Ai Offset dish) rear
	SPOKES	Stainless, 15g
	TIRES	WTB Bridger, 27.5x3.0, tubeless ready
	PEDALS	N/A
	CRANK	Cannondale Si, Ai, BB30, FSA 26/36 rings
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30
	CHAIN	KMC X10, 10-speed
	REAR COGS	Sunrace 11-36, 10-speed
	FRONT DERAILLEUR	Shimano Deore

	REAR DERAILLEUR	Shimano SLX Shadow Plus, 10-speed
	SHIFTERS	Shimano Deore, 2x10
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
	HEADSET	Tange 1.5 for Tapered Steer tubes
	BRAKES	Shimano Deore M16 hydraulic disc, 180/180mm
	BRAKE LEVERS	Shimano Deore M16
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
	SIZES	S,M,L,XL
	COLOR 1	Hazard Orange w/ Fine Silver, Charcoal Grey, Gloss - ORG
	COLOR 2	N/A
	EXTRAS	N/A

BEAST OF THE EAST

SCATENA LA BESTIA.

Con la trazione inarrestabile della Beast, un galleggiamento che abbatte qualsiasi ostacolo e una maneggevolezza leggera e agile, potrete salire, scendere e superare qualsiasi cosa, dalle radici e le rocce dell'est, alle piste sabbiose dell'ovest.

RICAPITOLANDO:

Ruote 27+ super aderenti e una guida ispirata rendono la Beast of the East uno schiacciasassi su qualsiasi trail, ovunque.

PRINCIPALI ARGOMENTI DI VENDITA:

» GRAN PRESA

Cerchi larghi e robusti e pneumatici 27.5+ da 3.0" offrono un galleggiamento e una trazione incredibili per una combinazione di velocità e controllo senza paragoni.

» FODERI CORTI PER PRESTAZIONI ECCELLENTI.

Foderi bassi super corti per una maneggevolezza sorprendentemente agile. Tantissimo spazio per pneumatici da 3,0". Tutto grazie alla magia della nostra trasmissione offset Ai.

» STERZO DOCILE

La geometria dello sterzo **OutFront** è perfetta per pneumatici 27+. La stabilità rilassata vi consente di gestire perfettamente le discese, mentre l'ampio offset della forcella mantiene lo sterzo rapido e leggero alle basse velocità.

» RUOTA POSTERIORE PIÙ RIGIDA E PIÙ ROBUSTA

I mozzi posteriori 142x12 con angolazione raggi e tensione simmetriche dell'**Ai** danno alla ruota posteriore della Beast una rigidità e una robustezza cattive.

» ULTRA LEGGERA. EXTRA STRONG.


La struttura in lega SmartFormed vi offre una resistenza, una rigidità e un trasferimento di potenza impareggiabili combinati a un peso incredibilmente leggero.



PROFILO DEL CICLISTA

Da rider abili che vogliono mettersi alla prova su terreni tecnici a neofiti che cercano il modo più facile per raggiungere queste abilità.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione equilibrata dell'avancorsa per una sicurezza all-mountain stabile.





TECNOLOGIA:

Ai - Trasmissione offset con Asymmetric Integration

OutFront - Geometria dello sterzo ottimizzata

Telaio in alluminio SmartFormed


Spazio per pneumatici 27+ da 3.0"

Pedivelle System Integrated di Cannondale

Compatibile con reggisella dropper

GEOMETRIA

	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM/IN)	38.5/15.2	43.5/17.1	48.5/19.1	53.5/21.1
B TOP TUBE HORIZONTAL (CM/IN)	57.0/22.4	59.6/23.5	62.3/24.5	64.8/25.5
C TOP TUBE ACTUAL (CM/IN)	55.6/21.9	57.1/22.5	59.5/23.4	62.1/24.4
D HEAD TUBE ANGLE	68.3°	68.4°	68.5°	68.6°
E SEAT TUBE ANGLE EFFECTIVE	73.3°	73.2°	73.1°	73.0°
F SEAT TUBE ANGLE ACTUAL	72.4°	72.3°	72.2°	72.1°
F STANDOVER (CM/IN)	72.2/28.4	75.4/29.7	78.9/31.1	82.5/32.5
G HEAD TUBE LENGTH (CM/IN)	9.7/3.8	★	11.0/4.3	12.2/4.8
H WHEELBASE (CM/IN)	109.5/43.1	111.9/44.1	114.5/45.1	116.8/46.0
I FRONT CENTER (CM/IN)	66.8/26.3	69.1/27.2	71.7/28.2	74.1/29.2
J CHAIN STAY LENGTH (CM/IN)	43.5/17.1	★	★	★
K BOTTOM BRACKET DROP (CM/IN)	6.2/2.4	★	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	30.9/12.2	★	★	★
M FORK RAKE (CM/IN)	5.5/2.2	★	★	★
N TRAIL (CM/IN)	8.8/3.5	8.8/3.5	8.7/3.4	8.7/3.4
O STACK (CM/IN)	61.5/24.2	61.5/24.2	62.8/24.7	64.0/25.2
P REACH (CM/IN)	38.6/15.2	41.0/16.1	43.2/17.0	45.2/17.8



CATEGORIA

TRAIL

RUTO/MISUDO DEL COPERTONEE

27.5x3.0"

CORSA

120mm ANTERIORE



C27106M

Beast of the East 1

FRAME	Beast of the East 27+, 120mm, SmartForm C1 Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube
FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 55mm offset
REAR SHOCK	N/A
RIMS	WTB Scraper i45 27.5", 45mm, tubeless ready
HUBS	Lefty 60 Front, Formula with XD driver, 142x12mm (Ai Offset dish - Rear) rear
SPOKES	Stainless, 15g
TIRES	WTB Bridger, 27.5x3.0, tubeless ready
PEDALS	N/A
CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
CRANK OPTION	N/A
BOTTOM BRACKET	Cannondale BB30
CHAIN	SRAM PC-X1, 11-speed
REAR COGS	SRAM XG-1150, 10-42, 11-speed

FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM X1, 11-speed
SHIFTERS	SRAM GX, 11-speed
HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
GRIPS	Cannondale Locking Grips
STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
HEADSET	Cannondale HeadShok Si
BRAKES	Shimano Deore hydraulic disc, 180/160mm
BRAKE LEVERS	Shimano Deore
SADDLE	Cannondale Stage 3
SEATPOST	TransX Dropper Post, 31.6, 120mm drop, internal routing
SIZES	S,M,L,XL
COLOR 1	Matte Teal w/ Gloss Primer Grey, Gloss Moss Green - TEA
COLOR 2	N/A
EXTRAS	N/A



C27206M

Beast of the East 2

FRAME	Beast of the East 27+, 120mm, SmartForm C1 Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube
FORK	RockShox Reba RL Boost 27+, Tapered Steerer, 120mm, 110x15mm Maxle Lite, Poploc handlebar mounted remote, 51mm offset
REAR SHOCK	N/A
RIMS	Cannondale Beast, 27.5x45mm, tubeless ready
HUBS	Formula 110x15 front, Formula with XD driver, 142x12mm (Ai Offset dish - Rear) rear
SPOKES	Stainless, 14g
TIRES	WTB Bridger, 27.5x3.0, tubeless ready
PEDALS	N/A
CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
CRANK OPTION	N/A
BOTTOM BRACKET	Cannondale BB30
CHAIN	SRAM PCX1, 11-speed
REAR COGS	SRAM XG-1150, 10-42, 11-speed

FRONT DERAILLEUR	N/A
REAR DERAILLEUR	SRAM GX, 11-speed
SHIFTERS	SRAM GX, 11-speed
HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
GRIPS	Cannondale Locking Grips
STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
HEADSET	Tange 1.5 for Tapered Steer tubes
BRAKES	Shimano Deore hydraulic disc, 180/160mm
BRAKE LEVERS	Shimano Deore
SADDLE	Cannondale Stage 3
SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
SIZES	S,M,L,XL
COLOR 1	Wolfblood Red w/ Jet Black, I Love Gold, Gloss - BLO
COLOR 2	N/A
EXTRAS	N/A



C27306M

Beast of the East 3

 FRAME	Beast of the East 27+, 120mm, SmartForm C1 Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube
 FORK	SR Suntour Raidon Air Boost 27+, Tapered Steerer, 120mm, 110x15mm Thru Axle, Handlebar mounted remote
 REAR SHOCK	N/A
 RIMS	Cannondale Beast, 27.5x45mm, tubeless ready
 HUBS	Formula 110x15 front, Formula with HG driver, 142x12mm (Ai Offset dish - Rear) rear
 SPOKES	Stainless, 14g
 TIRES	WTB Trail Blazer, 27.5x2.8
 PEDALS	N/A
 CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
 CRANK OPTION	N/A
 BOTTOM BRACKET	Cannondale BB30
 CHAIN	KMC X10, 10-speed
 REAR COGS	Sunrace 11-40, 10-speed

 FRONT DERAILLEUR	N/A
 REAR DERAILLEUR	Shimano SLX Shadow Plus, 10-speed
 SHIFTERS	Shimano Deore, 10-speed
 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale Locking Grips
 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
 HEADSET	Tange 1.5 for Tapered Steer tubes
 BRAKES	Shimano hydraulic disc, 180/160mm
 BRAKE LEVERS	Shimano hydraulic disc
 SADDLE	Cannondale Stage 3
 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
 SIZES	S,M,L,XL
 COLOR 1	Charcoal Grey w/ Acid Orange, Primer Grey, Gloss - ORG
 COLOR 2	N/A
 EXTRAS	N/A



PAURA DI NIENTE.

Qualunque cosa abbia in serbo il trail, Cujo ne avrà ragione, e ne chiederà ancora. Con enormi copertoni 27+ e una geometria stabile e sicura, aumenterà il vostro livello ed anche la posta in gioco persino sui terreni più rocciosi e infidi.

RICAPITOLANDO:

Con grandi copertoni aderenti, una geometria stabile e un telaio Cannondale leggero, Cujo semplicemente rende il mountain biking più semplice.

PRINCIPALI ARGOMENTI DI VENDITA:

» UNA PRESA CHE NON MOLLA.

Le ruote 27+ della Cujo combinano cerchi larghi con copertoni da 3.0" per una trazione pazzesca e un galleggiamento morbido praticamente su qualsiasi superficie il trail possa presentarvi sul vostro cammino.

» CONTROLLO SICURO

La geometria specifica da trail della Cujo offre una sensazione sicura e stabile che vi incoraggia a dare il meglio.

» SENZA FLESSIONE

Un tubo sterzo conicizzato, il mozzo anteriore con asse passante da 110x15mm e il mozzo posteriore Boost QR contribuiscono tutti alla sensazione di solidità e alla guidabilità precisa della Cujo.

» CUJO - FIT FOR ALL


Con taglie che spaziano dalla small alla extra extra large, c'è una Cujo per tutti.



PROFILO DEL CICLISTA

Nuovi biker che cercano il modo più indulgente e divertente di affrontare i trail. Mountain biker esperti che vogliono affrontare terreni più impegnativi.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione equilibrata leggermente più eretta sul trail per una sicurezza all-mountain confortevole.





TECNOLOGIA:

Struttura in lega SmartForm C2

Spazio per pneumatici 27+ da 3.0"


120mm travel forks

Foderi posteriori SPEED SAVE

tubo sterzo conicizzato

GEOMETRIA

	XS	S	M	L	XL	XXL
A SEAT TUBE LENGTH (CM/IN)	35.5/14.0	38.5/15.2	43.5/17.1	48.5/19.1	53.5/21.1	58.5/23.0
B TOP TUBE HORIZONTAL (CM/IN)	54.7/21.5	57.1/22.5	59.3/23.3	61.7/24.3	63.7/25.1	66.1/26.0
C TOP TUBE ACTUAL (CM/IN)	N/A	★	★	★	★	★
D HEAD TUBE ANGLE	68.5°	★	★	★	★	★
E SEAT TUBE ANGLE EFFECTIVE	73.3°	★	★	★	★	★
F SEAT TUBE ANGLE ACTUAL	73.3°	★	★	★	★	★
G STANDOVER (CM/IN)	73.0/28.7	74.6/29.4	78.5/30.9	81.6/32.1	85.2/33.5	88.2/34.7
H HEAD TUBE LENGTH (CM/IN)	9.5/3.7	★	11.5/4.5	★	13.0/5.1	★
I WHEELBASE (CM/IN)	107.4/42.3	109.8/43.2	112.2/44.2	114.6/45.1	116.7/45.9	119.1/46.9
J FRONT CENTER (CM/IN)	63.9/25.2	66.3/26.1	68.7/27.0	71.1/28.0	73.2/28.8	75.6/29.8
K CHAIN STAY LENGTH (CM/IN)	44.2/17.4	★	★	★	★	★
L BOTTOM BRACKET DROP (CM/IN)	6.2/2.4	★	★	★	★	★
M BOTTOM BRACKET HEIGHT (CM/IN)	30.8/12.1	★	★	★	★	★
N FORK RAKE (CM/IN)	51/2.0	★	★	★	★	★
O TRAIL (CM/IN)	91/3.6	★	★	★	★	★
P STACK (CM/IN)	62.7/24.7	★	64.5/25.4	★	65.9/26.0	★
Q REACH (CM/IN)	35.9/14.1	38.3/15.1	39.9/15.7	42.3/16.7	43.9/17.3	46.3/18.2



CATEGORIA

TRAIL

RUTO/MISURO DEL COPERTONEE

27.5x3.0"

CORSA

120mm ANTERIORE



C26157M

Cujo 1

	FRAME	Cujo 27+, SmartForm C2 Alloy, SAVE, Tapered head tube
	FORK	RockShox Recon Silver Boost 27+, 120mm, 110x15mm Maxle Lite, Tapered Alloy Steerer, 51mm offset, External Lockout and Rebound
	REAR SHOCK	N/A
	RIMS	Cannondale Beast, 27.5x40mm inner, tubeless ready
	HUBS	Formula 110x15 front, Boost QR 141x9mm with HG driver rear
	SPOKES	Stainless, 14g
	TIRES	WTB Ranger Comp, DNA Compound, 27.5x3.0"
	PEDALS	Cannondale Platform
	CRANK	FSA Comet MegaExo Boost w/ 30T Megatooth narrow/wide chainring
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	SRAM PC-1110, 11-speed
	REAR COGS	SRAM NX, 11-42, 11-speed
	FRONT DERAILLEUR	N/A

	REAR DERAILLEUR	SRAM GX1, 11-speed
	SHIFTERS	SRAM NX, 11-speed
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, 60mm
	HEADSET	Tange Seiki Semi-Integrated Tapered
	BRAKES	Shimano Deore hydraulic disc, 180/160mm
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
	SIZES	XS,S,M,L,XL,XXL
	COLOR 1	Jet Black w/ Turquoise, Acid Red, Gloss - BLU
	COLOR 2	N/A
	EXTRAS	N/A



C26257M

Cujo 2

	FRAME	Cujo 27+ , SmartForm C2 Alloy, SAVE, Tapered head tube
	FORK	RockShox Recon Silver Boost 27+, 120mm, 110x15mm Maxle Lite, Tapered Alloy Steerer, 51mm offset, External Lockout and Rebound
	REAR SHOCK	N/A
	RIMS	Cannondale Beast, 27.5x40mm inner, tubeless ready
	HUBS	Formula 110x15 front, Boost QR 141x9mm with HG driver rear
	SPOKES	Stainless, 14g
	TIRES	WTB Ranger Comp, DNA Compound, 27.5x3.0"
	PEDALS	Cannondale Platform
	CRANK	FSA Comet MegaExo Boost 36x22
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	KMC X10 10-speed
	REAR COGS	Sunrace 10-speed, 11-36
	FRONT DERAILLEUR	Shimano Deore

	REAR DERAILLEUR	Shimano SLX, 10-speed
	SHIFTERS	Shimano Deore, 2x10
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, 60mm
	HEADSET	Tange Seiki Semi-Integrated Tapered
	BRAKES	Tektro Auriga hydraulic disc, 180/160mm
	BRAKE LEVERS	Tektro Auriga hydraulic disc
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
	SIZES	XS,S,M,L,XL,XXL
	COLOR 1	Deep Teal w/ Jet Black, Hazard Orange, Gloss - DTE
	COLOR 2	N/A
	EXTRAS	N/A



C26357M

Cujo 3

 FRAME	Cujo 27+, SmartForm C2 Alloy, SAVE, Tapered head tube
 FORK	SR Suntour XCR Boost 27+, 120mm Travel, 15mm thru axle, Tapered Alloy Steerer, External Lockout
 REAR SHOCK	N/A
 RIMS	Cannondale Beast, 27.5x40mm inner, tubeless ready
 HUBS	Formula 110x15 front, Boost QR 141x9mm with HG driver rear
 SPOKES	Stainless, 14g
 TIRES	Kenda 27x3.0" MTB
 PEDALS	Cannondale Platform
 CRANK	FSA Alpha Drive Boost 36x24
 CRANK OPTION	N/A
 BOTTOM BRACKET	FSA Cartridge
 CHAIN	KMC X9 9-speed
 REAR COGS	Sunrace 11-34 9-speed
 FRONT DERAILLEUR	MicroShift Direct Mount 2x

 REAR DERAILLEUR	Shimano Deore, 9-speed
 SHIFTERS	Shimano Altus, 2x9
 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
 GRIPS	Cannondale MTB
 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
 HEADSET	Tange Seiki Semi-Integrated Tapered
 BRAKES	Tektro Auriga hydraulic disc, 180/160mm
 BRAKE LEVERS	Tektro Auriga hydraulic disc
 SADDLE	Cannondale Stage 3
 SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
 SIZES	XS,S,M,L,XL,XXL
 COLOR 1	Anthracite w/ Jet Black, Neon Spring, Gloss - NSP
 COLOR 2	N/A
 EXTRAS	N/A

TRAIL

DOVE HANNO INIZIO LE PRESTAZIONI

Se siete pronti a innamorarvi del mountain biking, Trail è la vostra bicicletta. Piena di caratteristiche e tecnologia derivata da oltre 30 anni di progettazione di biciclette per gli atleti migliori del mondo, la Trail definisce i canoni del divertimento rapido e sicuro.

RICAPITOLANDO:

Il miglior rapporto prezzo-prestazioni in montagna, pronta per qualsiasi cosa, dalle gare di XC al lavoro duro sui sentieri.

PRINCIPALI ARGOMENTI DI VENDITA:

» TELAIO CANNONDALE SMARTFORM C2

La competenza di Cannondale in materia di alluminio rende questi telai migliori delle migliori proposte dei nostri concorrenti. La più leggera della categoria, con una rigidità, una durabilità e una morbidezza eccezionali. E, naturalmente, con la nostra celebre garanzia a vita.

» TRIANGOLO POSTERIORE SPEED SAVE

I foderi alti e bassi appiattiti e sagomati di nostra invenzione garantiscono un riding sorprendentemente morbido.

» GEOMETRIA DA TRAIL

Colpisce l'equilibrio ideale tra rapidità da gara e stabilità che dà sicurezza. Perfetta per esplorare i vostri limiti.

» SPECIFICHE PRATICHE


Con freni a disco idraulici, spettacolari copertoni WTB NineLine e il cockpit della serie Cannondale C-Series, la scelta della componentistica della Trail massimizza il rapporto prezzo-prestazioni.



PROFILO DEL CICLISTA

Mountain biker attivi o che aspirano ad esserlo che cercano un upgrade sostenibile o una prima bicicletta un passo avanti

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Geometria da trail veloce - Con una posizione semi-eretta del corpo, colpisce per il grande equilibrio tra comfort e performance.





TECNOLOGIA:


Struttura in alluminio SmartForm C2

Geometria da trail

SAVE MICRO-SUSPENSION

GEOMETRIE

SPECIFICATIONS	XS (27.5")	SM (27.5")	MD (29")	LG (29")	XL (29")	J (29")
A SEAT TUBE LENGTH (CM/IN)	38.0/15.0	43.0/16.9	43.5/17.1	47.5/18.7	52.5/20.7	57/22.4
B TOP TUBE HORIZONTAL (CM/IN)	56.2/22.1	58.6/23.1	61.5/24.2	63.0/24.8	64/25.2	65/25.6
C TOP TUBE ACTUAL (CM/IN)	N/A	N/A	58.8/23.2	60.3/23.7	61.4/24.2	62.6/24.6
D HEAD TUBE ANGLE	67.5°	★	★	★	★	71.5°
E SEAT TUBE ANGLE EFFECTIVE	73.5°	★	73.0°	★	72.5°	72.5°
F SEAT TUBE ANGLE ACTUAL			73.0°	★	72.5°	★
G STANDOVER (CM/IN)	75.5/29.7	77.5/30.5	46.0/18.1	48.7/19.2	83.9/33	88/34.6
H HEAD TUBE LENGTH (CM/IN)	9.5/3.7		11.5/4.5	12.7/5.0	13.2/5.2	14/5.5
I WHEELBASE (CM/IN)	110.6/43.6	113.0/44.5	115.1/43.9	113.1/44.5	113.5/44.7	112.8/44.4
J FRONT CENTER (CM/IN)	66.8/26.3	69.2/27.2	68.4/26.9	69.9/27.5	70.3/27.7	69.6/27.4
K CHAIN STAY LENGTH (CM/IN)	44.5/17.5	★	★	★	★	★
L BOTTOM BRACKET DROP (CM/IN)	6.0/2.4	★	★	★	★	★
M BOTTOM BRACKET HEIGHT (CM/IN)	30.5/12.0	★	★	★	★	★
N FORK RAKE (CM/IN)	5.1/2.0	★	★	★	★	★
O TRAIL (CM/IN)	9.6/3.8	★	★	★	★	7.2/2.8
P STACK (CM/IN)	62.0/24.4	★	60.0/23.6	61.1/24.1	61.6/24.3	63/24.8
Q REACH (CM/IN)	37.8/14.9	40.2/15.8	43.2/17.0	44.3/17.4	44.6/17.6	45.1/17.8



CATEGORIA

SPORT HARDTAIL

RUTO/MISUDO DEL COPERTONEE

27.5 / 29 x 2.0"

(XS, S) / (M, L, X, J)

CORSA

100mm ANTERIORE



C26107M

Trail 1

	FRAME	Trail, SmartForm C2 Alloy, SAVE, 1-1/8" head tube
	FORK	RockShox Recon Silver RL 27/29, 100mm, Alloy Steerer, 46mm offset, OneLoc Remote Lockout and External Rebound
	REAR SHOCK	N/A
	RIMS	Cannondale DC 3.0, double wall, 32 hole
	HUBS	Formula DC51 front, DC-22 rear
	SPOKES	Stainless Steel, 15g
	TIRES	WTB Nineline Comp, DNA Compound, 29x2.0"
	PEDALS	N/A
	CRANK	FSA Comet MegaExo, 36/26, 11-speed
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	KMC X11 11-speed
	REAR COGS	SunRace, 11-40, 11-speed
	FRONT DERAILLEUR	Shimano SLX

	REAR DERAILLEUR	Shimano XT, 11-speed
	SHIFTERS	Shimano SLX, 2x11
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 740x15mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, -5 deg. 740mm
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano Deore hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano Deore
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm (S,M) 400mm (L,X)
	SIZES	XS, S (27.5) / M, L, XL, J (29)
	COLOR 1	Matte Nearly Black w/ Gloss Jet Black and Fine Silver - NBL
	COLOR 2	Volt w/ Cerulean Blue and Jet Black, Gloss - VLT
	EXTRAS	N/A



C26237M

Trail 2

	FRAME	Trail, Optimized 6061 Alloy, SAVE, 1-1/8" head tube
	FORK	RockShox Recon Silver 27/29, 100mm, Alloy Steerer, 46mm offset, OneLoc Remote Lockout and External Rebound
	REAR SHOCK	N/A
	RIMS	Cannondale DC 3.0, double wall, 32 hole
	HUBS	Formula CDH20 front, Formula CDH22 rear
	SPOKES	Stainless Steel, 15g Black
	TIRES	WTB NineLine, 29/27.5x2.0"
	PEDALS	Cannondale Platform
	CRANK	FSA Comet MegaExo 2x10, 38x24
	CRANK OPTION	N/A
	BOTTOM BRACKET	FSA MegaExo
	CHAIN	KMC X10, 10-speed
	REAR COGS	Sunrace, 11-36, 10-speed
	FRONT DERAILLEUR	Shimano Deore, 31.8 clamp

	REAR DERAILLEUR	Shimano XT, 10-speed
	SHIFTERS	Shimano Deore, 2x10
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 740x15mm
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, -5 deg. 740mm
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano Deore M506 hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano Deore M506
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm
	SIZES	27.5: XS, SM / 29: MD, LG, XL, 2X
	COLOR 1	Midnight Blue w/ Fine Silver and Acid Red, Gloss - MDN
	COLOR 2	Matte Jet Black w/ Jet Black and Berzerker, Gloss - BLK
	EXTRAS	N/A



C26337M

Trail 3

	FRAME	Trail, Optimized 6061 Alloy, SAVE, 1-1/8" head tube
	FORK	RockShox 30 Silver 29"/27.5", 100mm, PopLoc remote lockout, rebound, 1-1/8"
	REAR SHOCK	N/A
	RIMS	Cannondale DC 3.0, double wall, 32 hole
	HUBS	Alloy Disc, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless Steel, 15g Black
	TIRES	WTB NineLine, 29/27.5x2.0"
	PEDALS	Cannondale Platform
	CRANK	SR Suntour XCM 2-piece, 2x10, 36x22
	CRANK OPTION	N/A
	BOTTOM BRACKET	SR Suntour
	CHAIN	KMC X10, 10-speed
	REAR COGS	Sunrace, 11-36, 10-speed
	FRONT DERAILLEUR	Shimano Deore

	REAR DERAILLEUR	Shimano SLX, 10-speed
	SHIFTERS	Shimano Deore, 2x10
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 740x15mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C3, 6061 Alloy, 1-1/8", 31.8, -5 deg. 740mm
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano M445 hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano M445 hydraulic disc
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm
	SIZES	27.5: XS,SM,M7 / 29: MD,LG,XL,2X
	COLOR 1	Jet Black w/ Charcoal Gray and Trail Blue, Gloss - BLK
	COLOR 2	Hazard Orange w/ Fine Silver and Charcoal Gray, Gloss - ORG
	EXTRAS	N/A



C26457M

Trail 4

	FRAME	Trail, Optimized 6061 Alloy, SAVE, 1-1/8" head tube
	FORK	SR Suntour XCR-RL, 100mm, Alloy Crown, remote lockout, 1-1/8", 29/27.5"
	REAR SHOCK	N/A
	RIMS	Cannondale DC 3.0, double wall, 32 hole
	HUBS	Alloy Disc, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless Steel, 15g Black
	TIRES	WTB NineLine, 29/27.5x2.0"
	PEDALS	Cannondale Platform
	CRANK	Shimano Deore, HollowTech, 40/30/22
	CRANK OPTION	N/A
	BOTTOM BRACKET	Shimano BB-52 HollowTech
	CHAIN	Shimano HG54, 10-speed
	REAR COGS	Sunrace, 11-36, 10-speed
	FRONT DERAILLEUR	Shimano Deore 10-speed, 31.8 Clamp

	REAR DERAILLEUR	Shimano Deore 10-speed
	SHIFTERS	Shimano Deore, 3x10 speed
	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 740x15mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C4, 6061 Alloy, 31.8, 7 deg.
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano M315 hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano M315 hydraulic disc
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm
	SIZES	27.5: XS,SM,M7 / 29: MD,LG,XL,2X
	COLOR 1	Acid Green w/ Jet Black and Fine Silver, Gloss - AGR
	COLOR 2	Jet Black w/ White and Charcoal Gray, Matte - BBQ
	EXTRAS	N/A



C26557M

Trail 5

	FRAME	Trail, Optimized 6061 Alloy, SAVE, 1-1/8" head tube
	FORK	SR Suntour XCM-RL, 100mm, remote lockout, 1-1/8", 29"/27.5"
	REAR SHOCK	N/A
	RIMS	Alex DC 4.0, double wall, 32-hole
	HUBS	Alloy Disc, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless Steel, 15g Black
	TIRES	WTB NineLine, 29/27.5x2.0"
	PEDALS	Cannondale Platform
	CRANK	Shimano M371, 44/32/22
	CRANK OPTION	N/A
	BOTTOM BRACKET	Tange LN 3912, square taper
	CHAIN	Shimano HG53, 9-speed
	REAR COGS	Sunrace, 11-34, 9-speed
	FRONT DERAILLEUR	Shimano Altus, 31.8 clamp

	REAR DERAILLEUR	Shimano Alivio, 9-speed
	SHIFTERS	Shimano Altus, 3x9 speed
	HANDLEBAR	Cannondale C4, 6061 alloy, 20mm rise, 680mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C4, 6061 Alloy, 31.8, 7 deg.
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano M315 hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano M315 hydraulic disc
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C3, 6061 alloy, 27.2x350mm
	SIZES	27.5: XS,SM,M7 / 29: MD,LG,XL,2X
	COLOR 1	Anthracyte w/ Cerulean Blue and Volt, Gloss - CER
	COLOR 2	Jet Black w/ Acid Red and Trail Blue, Gloss - ARD
	EXTRAS	N/A



C26657M

Trail 6

	FRAME	Trail, Optimized 6061 Alloy, SAVE, 1-1/8" head tube
	FORK	SR Suntour XCT-100, 100mm, coil spring, 1-1/8", 29"/27.5"
	REAR SHOCK	N/A
	RIMS	Alex DC 5.0, double wall, 32-hole
	HUBS	Alloy Disc, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless Steel, 15g Black
	TIRES	WTB NineLine, 29/27.5x2.0"
	PEDALS	Cannondale Platform
	CRANK	Shimano M171, 42/34/24
	CRANK OPTION	N/A
	BOTTOM BRACKET	Tange LN 3912, square taper
	CHAIN	KMC Z51, 8-speed
	REAR COGS	Sunrace, 11-34, 8-speed
	FRONT DERAILLEUR	Shimano M190, 31.8 clamp

	REAR DERAILLEUR	Shimano Acera
	SHIFTERS	Shimano M310 Rapidfire Plus
	HANDLEBAR	Cannondale C4, 6061 alloy, 20mm rise, 680mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C4, 6061 Alloy, 31.8, 7 deg.
	HEADSET	FSA 1-1/8" Semi Integrated
	BRAKES	Shimano M315 hydraulic disc, 180/160mm (29"), 160/160mm (27.5")
	BRAKE LEVERS	Shimano M315 hydraulic disc
	SADDLE	Cannondale Stage 3
	SEATPOST	Cannondale C4, 6061 alloy, 27.2x350mm
	SIZES	27.5: XS,SM,M7 / 29: MD,LG,XL,2X
	COLOR 1	Berzerker Green w/ Charcoal Gray and Jet Black, Gloss - GRN
	COLOR 2	Nearly Black w/ Charcoal Gray and Jet Black, Matte - GRY
	EXTRAS	N/A

CATALYST

SU E GIÙ PER LE COLLINE

Cercate una bicicletta versatile per soddisfare la vostra sete crescente di avventura? Con il suo telaio in lega leggera, la posizione sportiva e un'ampia gamma di equipaggiamento, la Catalyst vi consente di percorrere in sicurezza qualunque sentiero vogliate.

RICAPITOLANDO:

Soddisfate il vostro amore per il ciclismo con una bici pronta a tutto, dalla strada al single track.

PRINCIPALI ARGOMENTI DI VENDITA:

» TELAIO LEGGERO

La competenza di Cannondale nel campo dell'alluminio crea una bicicletta che trasmette una profonda sensazione di leggerezza e stile, con la versatilità per gestire virtualmente qualsiasi terreno.

» UNA GUIDA DOLCE

Il triangolo posteriore SAVE è dotato dei nostri foderi alti e bassi appiattiti e sagomati per assorbire urti e vibrazioni.

» CONTROLLO SICURO

Le ruote da 27.5" offrono una combinazione imbattibile di agilità e controllo - la migliore miscela possibile di velocità e divertimento.

» MASSIMA VERSATILITÀ


Con caratteristiche che includono la sospensione anteriore, i freni a disco e gli attacchi integrati per portapacchi e parafango, la Catalyst è versatile e adatta a qualsiasi superficie, in qualsiasi condizione.



PROFILO DEL CICLISTA

I ciclisti occasionali e aspiranti tali che cercano una bicicletta versatile, divertente e dalle grandi capacità per ogni tipo di avventura.

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione del corpo neutra ed eretta offre un maggiore comfort e un controllo sicuro su una vasta tipologia di terreni.





TECNOLOGIA:

Telaio in lega leggera

Ruote da 27,5"

Triangolo posteriore SPEED SAVE


Sospensione anteriore

Freni a disco

Attacchi per portapacchi e parafango

GEOMETRIA

	XS	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM/IN)	33/13	38.1/15	43.2/17	48.2/19	53.3/21
B TOP TUBE HORIZONTAL (CM/IN)	54/21.3	59.5/23.4	61/24	63.3/24.9	65/25.6
C TOP TUBE ACTUAL (CM/IN)	N/A	N/A	N/A	N/A	N/A
D HEAD TUBE ANGLE	69.5°	70°	70°	70.5°	70.5°
E SEAT TUBE ANGLE EFFECTIVE	73°	73°	73.5°	73.5°	74°
F STANDOVER (CM/IN)	73/28.7	75.3/29.6	78.6/30.9	81.8/32.2	85.8/33.8
G HEAD TUBE LENGTH (CM/IN)	9/3.5	10/3.9	11.5/4.5	13.5/5.3	16/6.3
H WHEELBASE (CM/IN)	104.4/41.1	109.4/43.1	113.8/44.8	115.4/45	115.8/45.6
I FRONT CENTER (CM/IN)	60.9/24	65.9/25.9	68/26.8	69.9/27.5	72.3/28.5
J CHAIN STAY LENGTH (CM/IN)	43.5/17.1	★	★	★	★
K BOTTOM BRACKET DROP (CM/IN)	4.7/1.9	★	★	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	30.5/12	★	★	★	★
M FORK RAKE (CM/IN)	4.5/1.8	★	★	★	★
N TRAIL (CM/IN)	8.3/3.3	8.2/3.2	★	8.1/3.2	★
O STACK (CM/IN)	58.2/22.9	59.4/23.4	60.8/23.9	62.9/24.8	65.2/25.7
P REACH (CM/IN)	36.2/14.3	41.4/16.3	43/16.9	44.7/17.6	46.3/18.2



CATEGORIA

SPORT HARDTAIL

RUTO/MISUDO DEL COPERTONEE

27.5 x 2.0"

CORSA

100mm/75mm FRONT



C29836M

Catalyst 3

	FRAME	Catalyst, SmartForm C3 Alloy, 1-1/8" head tube, rack and fender mounts, 27.5"
	FORK	SR Suntour M3030-27, 75mm, coil spring with preload, 1-1/8", 27.5"
	REAR SHOCK	N/A
	RIMS	Alex DC 6.0, double wall, 32-hole
	HUBS	Alloy Disc, Cassette, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless, 14g
	TIRES	Innova 27.5"x2.0"
	PEDALS	Cannondale Platform
	CRANK	Prowheel, 24/34/42
	CRANK OPTION	N/A
	BOTTOM BRACKET	VP Cartridge Sealed Bearing, square taper
	CHAIN	KMC Z51, 8-speed
	REAR COGS	Sunrace, 11-34, 8-speed
	FRONT DERAILLEUR	Shimano Tourney, 31.8 clamp

	REAR DERAILLEUR	Shimano Tourney, 8-speed
	SHIFTERS	Shimano EF51 Easyfire, 3x8 speed
	HANDLEBAR	Cannondale C4, 6061 alloy, 20mm rise, 640mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C4, 6061 Alloy, 31.8, 7 deg.
	HEADSET	VP 88, threadless
	BRAKES	Tektro M280 Cable actuated disc, 160/160mm
	BRAKE LEVERS	Shimano EF51
	SADDLE	Cannondale Stage 2
	SEATPOST	Cannondale C4, 6061 alloy, 27.2x350mm
	SIZES	XS,S,M,L,XL
	COLOR 1	Neon Spring w/ Jet Black, Charcoal Grey, Gloss - NSP
	COLOR 2	Jet Black w/ White, Berserker Green, Matte - REP
	EXTRAS	N/A



C29936M

Catalyst 4

	FRAME	Catalyst, SmartForm C3 Alloy, 1-1/8" head tube, rack and fender mounts, 27.5"
	FORK	SR Suntour M3030-27, 75mm, coil spring, 1-1/8", 27.5"
	REAR SHOCK	N/A
	RIMS	Alex DC 6.0, double wall, 32-hole
	HUBS	Alloy Disc, Freewheel, sealed, loose ball bearings, QR, 32h
	SPOKES	Stainless, 14g
	TIRES	Innova 27.5"x2.0"
	PEDALS	Cannondale Platform
	CRANK	Prowheel, 24/34/42
	CRANK OPTION	N/A
	BOTTOM BRACKET	VP Cartridge Sealed Bearing, square taper
	CHAIN	KMC Z51, 7-speed
	REAR COGS	Sunrace, 14-34, 7-speed
	FRONT DERAILLEUR	Shimano Tourney, 31.8 clamp

	REAR DERAILLEUR	Shimano Tourney, 7-speed
	SHIFTERS	Shimano EF41 Easyfire, 3x7 speed
	HANDLEBAR	Cannondale C4, 6061 alloy, 20mm rise, 620mm
	GRIPS	Cannondale Dual-Density
	STEM	Cannondale C4, 6061 Alloy, 31.8, 7 deg.
	HEADSET	VP 88, threadless
	BRAKES	Jak-7 Cable actuated disc, 160/160mm
	BRAKE LEVERS	Shimano EF41
	SADDLE	Cannondale Stage 2
	SEATPOST	Cannondale C4, 6061 alloy, 27.2x350mm
	SIZES	XS,S,M,L,XL
	COLOR 1	Midnight w/ Neon Spring, Ultra Blue, Gloss - MDN
	COLOR 2	Jet Black w/ Charcoal Grey, Matte - BBQ
	EXTRAS	N/A

FATCAAD

FAT & FAST

Cercate una fatbike che non sia così dannatamente «fat»? La tecnologia System Integrated di Cannondale e le magie con l'alluminio rendono la FAT CAAD così agile e veloce che vorreste guidarla anche quando non nevica.

RICAPITOLANDO:

Le magie con l'alluminio e la System Integration di Cannondale creano una fat bike con un'indole da gara.

PRINCIPALI ARGOMENTI DI VENDITA:

» UNA GUIDA CORRETTA

La geometria dello sterzo **OutFront** vi consente di spremere il massimo da quel punto di contatto grande e grosso. L'angolo di sterzo aperto e l'avantreno allungato vi consentono di prendervela con comodo sulle salite, mentre la dimensione ristretta dell'avancorsa conserva un'agilità pazzesca alle basse velocità.

» FATTORE Q LETALE

Grazie alle nostre pedivelle System Integrated e alle corone offset, il fattore Q della FAT CAAD è fino a 2,5 cm più stretto rispetto alla concorrenza, per conservare la sensazione di cavalcare una bici e non un cavallo.

» CONTROL THE FAT

Don't fight the fat - Control it. La **Lefty** Olaf è l'unica forcella ammortizzata con la rigidità sufficiente per dettar legge a quei grossi pneumatici.


» TIENILO STRETTO

Le pedivelle System Integrated della Fat CAAD sono dotate di un offset personalizzato della corona Fat per offrire il migliore equilibrio di foderi corti, fattore Q ristretto e compatibilità 2x, con copertoni da 4,8".

PROFILO DEL CICLISTA

*Fatbiker all-season
orientati alle prestazioni*

TIPO DI UTILIZZO



POSIZIONE DEL CICLISTA

Una posizione equilibrata dell'avancorsa per una sicurezza all-mountain stabile.





TECNOLOGIA:

Struttura in lega **SmartForm C1**

OutFront - Geometria dello sterzo ottimizzata

Foderi posteriori **SPEED SAVE**


Sospensione anteriore **Lefty** Olaf

Pedivelle System Integrated di Cannondale

Compatibile con reggisella dropper interno

GEOMETRIA

	XS	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM/IN)	37.0/14.6	39.0/15.4	44.0/17.3	49.0/19.3	54.0/21.3
B TOP TUBE HORIZONTAL (CM/IN)	56.2/22.1	58.7/23.1	61.0/24.0	63.4/25.0	64.7/25.5
C TOP TUBE ACTUAL (CM/IN)	55.5/21.8	57.1/22.5	58.7/23.1	60.8/23.9	62.2/24.5
D HEAD TUBE ANGLE	69.1°	★	★	★	★
E SEAT TUBE ANGLE EFFECTIVE	73.0°	★	★	★	★
F STANDOVER (CM/IN)	44.6/17.6	44.3/17.4	47.4/18.7	50.8/20.0	54.2/21.3
G HEAD TUBE LENGTH (CM/IN)	9.7/3.8	★	11.0/4.3	12.2/4.8	13.4/5.3
H WHEELBASE (CM/IN)	110.2/43.4	112.7/44.4	115.2/45.3	117.6/46.3	119.0/46.9
I FRONT CENTER (CM/IN)	65.2/25.7	67.7/26.7	70.2/27.6	72.6/28.6	74.0/29.2
J CHAIN STAY LENGTH (CM/IN)	45.6/18.0	★	★	★	★
K BOTTOM BRACKET DROP (CM/IN)	5.8/2.3	★	★	★	★
L BOTTOM BRACKET HEIGHT (CM/IN)	32.4/12.8	★	★	★	★
M FORK RAKE (CM/IN)	6.0/2.4	★	★	★	★
N TRAIL (CM/IN)	8.2/3.2	★	★	★	★
O STACK (CM/IN)	60.7/23.9	★	61.9/24.4	63.1/24.8	64.2/25.3
P REACH (CM/IN)	37.6/14.8	40.1/15.8	42.1/16.6	44.1/17.4	45.1/17.8



CATEGORIA

FAT BIKE

RUTO/MISUDO DEL COPERTONEE

26 x 4.8"

TRAVEL

100mm ANTERIORE



C28306M

Fat CAAD 1

	FRAME	Fat CAAD, SmartFormed Alloy, BB30XL, 1.5 Si head tube
	FORK	Lefty Olaf, 100mm, PBR Isolated Damper Technology with Enduro+ tune and updated controls, 60mm offset
	REAR SHOCK	N/A
	RIMS	Sun Ringle MuleFut 80 SL, 26"
	HUBS	Lefty 73 (front), Formula DHL-1971, 197x12mm thru (rear), 32 hole
	SPOKES	DT Swiss Competition
	TIRES	Schwalbe Jumbo Jim 26x4.8", Snakeskin, tubeless
	PEDALS	N/A
	CRANK	Cannondale Si, BB30a, Fat Offset SpideRing, 30t
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30XL, 160mm spindle / 120mm shell
	CHAIN	SRAM X1, 11-speed
	REAR COGS	SRAM XG-1195, 10-42, 11-speed
	FRONT DERAILLEUR	N/A

	REAR DERAILLEUR	SRAM XO1, 11-speed
	SHIFTERS	SRAM XO1, 11-speed
	HANDLEBAR	Cannondale C2 riser, 7075 double-butt alloy, 740mm, 6 degree rise, 9 degree backsweep
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
	HEADSET	Cannondale HeadShok Si
	BRAKES	SRAM Guide R, 180/160mm, Centerline Rotors
	BRAKE LEVERS	SRAM Guide R
	SADDLE	Fabric Scoop Radius Race, CroMo
	SEATPOST	Cannondale C2, 2 bolt, 7075, 31.6 x 400mm
	SIZES	XS, S, M, L, XL
	COLOR 1	Matte Jet Black w/ Gloss Berserker Green, Nearly Black, Jet Black - BLA
	COLOR 2	N/A
	EXTRAS	N/A



C28406M

Fat CAAD 2

	FRAME	Fat CAAD, SmartFormed Alloy, BB30XL, 1.5 Si head tube
	FORK	Cannondale Fatty-Fat Rigid, 150x15mm thru, 1.5 tapered steerer, 55mm offset
	REAR SHOCK	N/A
	RIMS	Sun Ringle MuleFut 80 SL, 26"
	HUBS	Formula CDH-1651 150x15mm thru (front) Formula DHL-1971, 197x12mm thru (rear) 32 hole
	SPOKES	DT Swiss Competition
	TIRES	Schwalbe Jumbo Jim 26x4.8", Snakeskin, tubeless
	PEDALS	N/A
	CRANK	Cannondale Si, BB30a, Ai Offset Spider, 34/24
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30XL 166mm spindle / 120mm shell
	CHAIN	KMC X10, 10-speed
	REAR COGS	SRAM PG1030, 11-36, 10-speed
	FRONT DERAILLEUR	SRAM X5

	REAR DERAILLEUR	SRAM X7, 10-speed
	SHIFTERS	SRAM X5, 2x10
	HANDLEBAR	Cannondale C3 riser, 6061 double-butt alloy, 740mm, 6 deg. rise, 9 deg. sweep
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 1-1/8", 31.8, 5 deg.
	HEADSET	Tange Seiki 1-1/8 to 1.5", integrated
	BRAKES	SRAM Guide R, 180/160mm, Centerline Rotors
	BRAKE LEVERS	SRAM Guide R
	SADDLE	WTB Silverado Comp
	SEATPOST	Cannondale C3, 6061 alloy, 31.6 x 400mm
	SIZES	XS, S, M, L, XL
	COLOR 1	Matte Green Clay w/ Gloss Reflective Silver, Acid Red - GCL
	COLOR 2	N/A
	EXTRAS	N/A



C28507M

Fat CAAD 3

	FRAME	Fat CAAD, SmartFormed Alloy, BB30XL, 1.5 Si head tube
	FORK	Cannondale Fatty-Fat Rigid, 150x15mm thru, 1.5 tapered steerer, 55mm offset
	REAR SHOCK	N/A
	RIMS	Cannondale FAT 80, Alloy, Single Wall, 32H
	HUBS	Formula CDH-1651 150x15mm thru (front) Formula DHL-1971, 197x12mm thru (rear) 32 hole
	SPOKES	Stainless, 14g
	TIRES	Kenda Juggernaut 26x4.8", 60TPI
	PEDALS	N/A
	CRANK	Cannondale Si, BB30a, Ai Offset Spider, 34/22
	CRANK OPTION	N/A
	BOTTOM BRACKET	Cannondale BB30XL 166mm spindle / 120mm shell
	CHAIN	KMC X10, 10-speed
	REAR COGS	Sunrace 11-36, 10-speed
	FRONT DERAILLEUR	Shimano Deore

	REAR DERAILLEUR	Shimano Deore 10-speed
	SHIFTERS	Shimano 2x10
	HANDLEBAR	Cannondale C3 riser, 6061 double-butt alloy, 740mm, 6 deg. rise, 9 deg. sweep
	GRIPS	Cannondale Locking Grips
	STEM	Cannondale C3, 1-1/8", 31.8, 5 deg.
	HEADSET	Tange Seiki 1-1/8 to 1.5", integrated
	BRAKES	Tektro Novela Mechanical Disc, Organic Pads, 180/160mm
	BRAKE LEVERS	Tektro Alloy
	SADDLE	Cannondale Stage 2
	SEATPOST	Cannondale C3, 6061 alloy, 31.6 x 400mm
	SIZES	XS, S, M, L, XL
	COLOR 1	Turquoise w/ Jet Black, Hazard Orange, Gloss - TRQ
	COLOR 2	N/A
	EXTRAS	N/A